

SAFETY DATA SHEET

1. Identification

Product identifier Copper 12

Other means of identification

SDS number 103500

Product code 103300, 103301, 103302, 103303, 103304, 103500, 103501, 103503

Recommended useSoil additive, micronutrient.

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer/Supplier Advanced Micronutrient Products, Inc.

Address 2405 W. Vassar Road (M-15) Reese, MI. 48757

Contact person Product Stewardship

Emergency Chemtrec Ph # 800-424-9300 CCN 724829

Email info@ampmicros.com

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Acute toxicity, oral Category 4

Skin corrosion/irritation Category 2
Serious eye damage/eye irritation Category 1

Environmental hazards Hazardous to the aquatic environment, acute Category 1

hazard

Hazardous to the aquatic environment,

long-term hazard

OSHA defined hazards Not classified.

Label elements



Signal word Danger

Harmful if swallowed. Causes serious eye damage. Causes skin irritation. Very toxic to aquatic life

with long lasting effects.

Precautionary statement

Prevention Wear protective gloves/protective clothing/eye protection/face protection. Do not eat, drink or

smoke when using this product. Avoid release to the environment.

Response If swallowed: Call a poison center/doctor if you feel unwell. Rinse mouth. If in eyes: Rinse

cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. If on skin: Wash with plenty of water. If

Category 1

skin irritation occurs: Get medical advice/attention. Collect spillage.

Storage Store away from incompatible materials.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise classified (HNOC)

None known.

3. Composition/information on ingredients

Mixtures

| Chemical name | CAS number | % |
|----------------|------------|-------|
| Copper sulfate | 7758-98-7 | 20-40 |

| 1 16 4 | 7700 70 7 | 10.00 |
|--------------------------------|-----------|-------|
| Iron sulfate | 7720-78-7 | 10-30 |
| Zinc sulfate | 7733-02-0 | 10-30 |
| Diiron trioxide (ferric oxide) | 1309-37-1 | 7-13 |
| Calcium sulfate | 7778-18-9 | 1-5 |
| Copper oxide | 1317-38-0 | 1-5 |
| Dicopper oxide | 1317-39-1 | 1-5 |
| Urea | 57-13-6 | 1-5 |
| Zinc oxide | 1314-13-2 | 1-5 |

4. First-aid measures

Inhalation If symptomatic, move to fresh air. Get medical attention if symptoms persist.

Immediately flush with plenty of water for at least 15 minutes while removing contaminated clothing Skin contact

and shoes. Get medical attention. Wash contaminated clothing before reuse.

Eye contact Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses.

Get medical attention immediately.

Ingestion Seek medical advice.

Most important symptoms/effects, acute and

delayed

Indication of immediate medical attention and special

treatment needed

Symptoms may be delayed.

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

Causes serious eye damage. Causes skin irritation.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

Specific hazards arising from

the chemical

Special protective equipment

and precautions for firefighters

Fire fighting

equipment/instructions

Specific methods

General fire hazards

Extinguish with foam, carbon dioxide, dry powder or water fog.

None known.

During fire, gases hazardous to health may be formed.

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Cool containers exposed to heat with water spray and remove container, if no risk is involved.

Keep unnecessary personnel away.

No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear appropriate personal protective equipment (See Section 8).

Methods and materials for containment and cleaning up **Environmental precautions**

Sweep up or vacuum up spillage and collect in suitable container for disposal.

Prevent further leakage or spillage if safe to do so. Avoid release to the environment.

7. Handling and storage

Do not get in eyes, on skin, on clothing. Wear appropriate personal protective equipment. Always Precautions for safe handling

observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to

remove contaminants.

Conditions for safe storage, including any incompatibilities Store in tightly closed original container in a dry, cool and well-ventilated place. Store away from incompatible materials (See Section 10). Use appropriate container to avoid environmental

contamination. Keep out of reach of children.

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

| Components | Туре | Value | Form |
|----------------------------------------------------|---------------------------------------------------------------------------------|---------------|----------------------|
| Calcium sulfate (CAS 7778-18-9) | PEL | 5 mg/m3 | Respirable fraction. |
| | | 15 mg/m3 | Total dust. |
| Diiron trioxide (ferric oxide) (CAS 1309-37-1) | PEL | 10 mg/m3 | Fume. |
| Žinc oxide (CAS 1314-13-2) | PEL | 5 mg/m3 | Fume. |
| | | 5 mg/m3 | Respirable fraction. |
| | | 15 mg/m3 | Total dust. |
| US. ACGIH Threshold Limit | Values | | |
| Components | Туре | Value | Form |
| Calcium sulfate (CAS 7778-18-9) | TWA | 10 mg/m3 | Inhalable fraction. |
| Diiron trioxide (ferric oxide) (CAS 1309-37-1) | TWA | 5 mg/m3 | Respirable fraction. |
| Iron sulfate (CAS 7720-78-7) | TWA | 1 mg/m3 | |
| Zinc oxide (CAS 1314-13-2) | STEL | 10 mg/m3 | Respirable fraction. |
| | TWA | 2 mg/m3 | Respirable fraction. |
| US. NIOSH: Pocket Guide to | Chemical Hazards | | |
| Components | Туре | Value | Form |
| Calcium sulfate (CAS 7778-18-9) | TWA | 5 mg/m3 | Respirable. |
| | | 10 mg/m3 | Total |
| Copper oxide (CAS 1317-38-0) | TWA | 1 mg/m3 | Dust. |
| Copper sulfate (CAS 7758-98-7) | TWA | 1 mg/m3 | Dust and mist. |
| Dicopper oxide (CAS 1317-39-1) | TWA | 1 mg/m3 | Dust and mist. |
| Diiron trioxide (ferric oxide) (CAS 1309-37-1) | TWA | 5 mg/m3 | Dust and fume. |
| Iron sulfate (CAS 7720-78-7) | TWA | 1 mg/m3 | |
| Zinc oxide (CAS 1314-13-2) | Ceiling | 15 mg/m3 | Dust. |
| | STEL | 10 mg/m3 | Fume. |
| | TWA | 5 mg/m3 | Fume. |
| | | 5 mg/m3 | Dust. |
| US. Workplace Environmen | tal Exposure Level (WEEL) Guides | | |
| Components | Туре | Value | Form |
| Urea (CAS 57-13-6) | TWA | 10 mg/m3 | Total particulate. |
| ogical limit values | No biological exposure limits noted for the ingredient(s). | | |
| ropriate engineering rols | Provide adequate ventilation. | | |
| vidual protection measures, Eye/face protection | such as personal protective equipme Wear safety glasses with side shields | | |
| • | Saisty glassos with side sillolds | (5. 3088,00). | |
| Skin protection | Chamical resistant alouge are recomm | nended | |
| Hand protection | Chemical resistant gloves are recommended. | | |
| Other | Wear chemical-resistant gloves, footw Contact chemical protective clothing r | | |

Respiratory protection

If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. In the United States of America, if respirators are used, a program should be instituted to assure compliance with OSHA 29 CFR 1910.134. Respirator type: Air-purifying respirator with an appropriate, government approved (where applicable), air-purifying filter, cartridge or canister.

Thermal hazards Not applicable.

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

Appearance

Solid. Physical state **Form** Granular. Color Brown. Odor Odorless. Odor threshold Not available. Not available. pН Not available. Melting point/freezing point Initial boiling point and boiling Not available.

range

Flash point Not available.

Evaporation rate Not available.

Flammability (solid, gas) Non flammable.

Upper/lower flammability or explosive limits
Explosive limit - lower (%) Not available.
Explosive limit - upper (%) Not available.

Vapor pressure Not available.

Vapor density Not available.

Relative density Solubility(ies)

Solubility (water) Not available.

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperatureNot available.Decomposition temperatureNot available.ViscosityNot available.

Other information

Explosive properties Not explosive.

Oxidizing properties Not oxidizing.

Particle size 2 - 3 mm

10. Stability and reactivity

ReactivityThe product is non-reactive under normal conditions of use, storage and transport.

Chemical stability Stable at normal conditions.

Possibility of hazardous

reactions

Hazardous polymerization does not occur.

Conditions to avoid Humidity. Contact with incompatible materials.

Not available.

Incompatible materials Strong oxidizing substances.

Hazardous decomposition

products

No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Under normal conditions of intended use, this material is not expected to be an inhalation hazard. Inhalation

Skin contact Causes skin irritation.

Eve contact Causes serious eye damage.

Harmful if swallowed. Ingestion

Symptoms related to the physical, chemical and toxicological characteristics Causes serious eye damage. Causes skin irritation.

Information on toxicological effects

Harmful if swallowed. Causes serious eye damage. Causes skin irritation. Acute toxicity

Test Results Components **Species**

Copper sulfate (CAS 7758-98-7)

Acute Oral LD50

Rat 300 mg/kg

Zinc sulfate (CAS 7733-02-0)

Acute Oral

LD50 Rat 920 mg/kg

623 mg/kg

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/eye

Causes serious eye damage.

irritation

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer. Not a skin sensitizer. Skin sensitization

Not classified. Germ cell mutagenicity Not classified. Carcinogenicity

IARC Monographs. Overall Evaluation of Carcinogenicity

Diiron trioxide (ferric oxide) (CAS 1309-37-1) 3 Not classifiable as to carcinogenicity to humans.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Reproductive toxicity Not classified. Specific target organ toxicity -Not classified.

single exposure

Specific target organ toxicity -

repeated exposure

Not classified.

Not classified. **Aspiration hazard**

12. Ecological information

Very toxic to aquatic life with long lasting effects. **Ecotoxicity**

Test Results Components **Species** Copper sulfate (CAS 7758-98-7) Aquatic Crustacea EC50 Amphipod (Crangonyx pseudogracilis) 2.21 - 2.72 mg/l, 48 hours Calanoid copepod (Acartia clausi) 0.034 mg/l, 48 hours LC50 Water flea (Ceriodaphnia dubia) 0.0091 mg/l, 96 hours Zinc oxide (CAS 1314-13-2) Aquatic LC50 Crustacea Water flea (Daphnia magna) 0.098 mg/l, 48 Hours

SDS US AMP Copper 12

926586 Version #: 01 Revision date: -Issue date: 19-May-2015 Components **Species Test Results**

Zinc sulfate (CAS 7733-02-0)

Aquatic

Fish LC50 Carp (Cyprinus carpio) 0.15 mg/l, 96 hours

Persistence and degradability None known.

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

Urea (CAS 57-13-6) -2.11

Mobility in soil No data available. Mobility in general No data available. Other adverse effects Not available.

13. Disposal considerations

Disposal instructions Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

The generation of waste should be avoided or minimized whenever possible. When practical, recycle in an environmentally acceptable, regulatory compliant manner. Dispose of non-recyclable products in accordance with all applicable Federal, State, Provincial, and Local requirements.

The waste code should be assigned in discussion between the user, the producer and the waste Hazardous waste code

disposal company.

Waste from residues / unused

products

Recover and recycle, if practical. Dispose in accordance with all applicable regulations.

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

14. Transport information

DOT

UN number UN3077

UN proper shipping name

Environmentally hazardous substances, solid, n.o.s. (Zinc oxide, Zinc sulfate) Transport hazard class(es)

9 Class Subsidiary risk 9 Label(s) Packing group Ш

Environmental hazards

Yes Marine pollutant

Special precautions for user Not available.

Special provisions 8, 146, 335, A112, B54, IB8, IP3, N20, T1, TP33

Packaging exceptions 213 Packaging non bulk Packaging bulk 240

IATA

UN number

Environmentally hazardous substance, solid, n.o.s. (Zinc oxide, Zinc sulfate) **UN proper shipping name**

Transport hazard class(es)

Class 9 Subsidiary risk 9 Label(s) Packing group Ш **Environmental hazards** Yes **ERG Code** 91

Special precautions for user Not available.

IMDG

UN number UN3077

UN proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Zinc oxide, Zinc sulfate)

Transport hazard class(es)

Class 9 Subsidiary risk 9 Label(s)

Ш Packing group

Environmental hazards

Marine pollutant Yes **EmS** F-A. S-F

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Transport in bulk according to

Annex II of MARPOL 73/78 and

the IBC Code

15. Regulatory information

US federal regulations This product is hazardous according to OSHA 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not available.

Not listed.

CERCLA Hazardous Substance List (40 CFR 302.4)

| Copper oxide (CAS 1317-38-0) | LISTED |
|--------------------------------|--------|
| Copper sulfate (CAS 7758-98-7) | LISTED |
| Dicopper oxide (CAS 1317-39-1) | LISTED |
| Iron sulfate (CAS 7720-78-7) | LISTED |
| Zinc oxide (CAS 1314-13-2) | LISTED |
| Zinc sulfate (CAS 7733-02-0) | LISTED |

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Immediate Hazard - Yes **Hazard categories**

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous Yes

chemical

SARA 313 (TRI reporting)

| Chemical name | CAS number | % by wt. | |
|----------------|------------|----------|--|
| Copper sulfate | 7758-98-7 | 20-40 | |
| Zinc sulfate | 7733-02-0 | 10-30 | |
| Copper oxide | 1317-38-0 | 1-5 | |
| Dicopper oxide | 1317-39-1 | 1-5 | |
| Zinc oxide | 1314-13-2 | 1-5 | |

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act Not regulated.

(SDWA)

US state regulations

US. Massachusetts RTK - Substance List

Calcium sulfate (CAS 7778-18-9)

Copper sulfate (CAS 7758-98-7)

Diiron trioxide (ferric oxide) (CAS 1309-37-1)

Iron sulfate (CAS 7720-78-7) Zinc oxide (CAS 1314-13-2)

Zinc sulfate (CAS 7733-02-0)

US. New Jersey Worker and Community Right-to-Know Act

Calcium sulfate (CAS 7778-18-9)

Copper oxide (CAS 1317-38-0)

Copper sulfate (CAS 7758-98-7) Dicopper oxide (CAS 1317-39-1)

Diiron trioxide (ferric oxide) (CAS 1309-37-1)

Iron sulfate (CAS 7720-78-7) Zinc oxide (CAS 1314-13-2) Zinc sulfate (CAS 7733-02-0)

US. Pennsylvania Worker and Community Right-to-Know Law

Calcium sulfate (CAS 7778-18-9) Copper sulfate (CAS 7758-98-7)

Diiron trioxide (ferric oxide) (CAS 1309-37-1)

Iron sulfate (CAS 7720-78-7) Zinc oxide (CAS 1314-13-2) Zinc sulfate (CAS 7733-02-0)

US. Rhode Island RTK

Copper oxide (CAS 1317-38-0) Copper sulfate (CAS 7758-98-7) Dicopper oxide (CAS 1317-39-1) Zinc oxide (CAS 1314-13-2) Zinc sulfate (CAS 7733-02-0)

US. California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

International Inventories

| Country(s) or region | Inventory name | On inventory (yes/no)* |
|----------------------|------------------------------------------------------------------------|------------------------|
| Australia | Australian Inventory of Chemical Substances (AICS) | Yes |
| Canada | Domestic Substances List (DSL) | Yes |
| Canada | Non-Domestic Substances List (NDSL) | No |
| China | Inventory of Existing Chemical Substances in China (IECSC) | Yes |
| Europe | European Inventory of Existing Commercial Chemical Substances (EINECS) | Yes |
| Europe | European List of Notified Chemical Substances (ELINCS) | No |
| Japan | Inventory of Existing and New Chemical Substances (ENCS) | Yes |
| Korea | Existing Chemicals List (ECL) | Yes |
| New Zealand | New Zealand Inventory | Yes |
| Philippines | Philippine Inventory of Chemicals and Chemical Substances (PICCS) | Yes |
| | | |

^{*}A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

Toxic Substances Control Act (TSCA) Inventory

Yes

8/9

16. Other information, including date of preparation or last revision

Issue date 19-May-2015

Revision date - 01

United States & Puerto Rico

HMIS® ratings Health: 3

Flammability: 1 Physical hazard: 0

NFPA ratings



References Registry of Toxic Effects of Chemical Substances (RTECS)

HSDB® - Hazardous Substances Data Bank

IARC: International Agency for Research on Cancer. National Toxicology Program (NTP) Report on Carcinogens

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

Disclaimer

The information and recommendations contained in this Safety Data Sheet relate only to the specific material referred to herein (the "Material") and does not relate to the use of such Material in combination with any other material or process. The information and recommendations contained herein are believed to be current and correct as of the date prepared. However, the information and recommendations are presented without warranty, representation or license of any kind, express or implied, with respect to its accuracy, correctness or completeness, and the seller, supplier and manufacturer of the Material and their respective affiliates disclaim all liability for reliance on such information and recommendations. This Data Sheet is not a guarantee of safety. A buyer or user of the Material (a "Recipient") is responsible for ensuring that it has all current information necessary to safely use the Material for its specific purpose. Furthermore, the Recipient assumes all risk in connection with the use of the Material. The Recipient assumes all responsibility for ensuring the Material is used in a safe manner in compliance with applicable environmental, health, safety and security laws, policies and guidelines. The Supplier does not warrant the merchantability of the Material or the fitness of the Material for any particular use and assumes no responsibility for injury or damage caused directly or indirectly by or related to the use of the Material.

AMP Copper 12 SDS US 9/9 926586 Version #: 01 Revision date: -

Issue date: 19-May-2015