

HERBICIDE

LADDER® ALL-IN

Specially formulated to contain 80 g/L of clodinafop-propargyl and comes in a pack of 2 identical jugs with a surfactant worked into the formulation, so you can spend less time mixing and more time on the field.



ACTIVE INGREDIENT
Clodinafop-propargyl

CHEMISTRY GROUP
Group 1

APPLICATION RATES AND PACKAGING

- 283 – 324 ml/ac
- 2 x 5.66 L jugs
- 90.6 L drum

REGISTERED CROPS:

Wheat (spring, durum)

WEEDS CONTROLLED:

Weed	Stage
Barnyard grass	1–5 leaf stage on main stem
Foxtail (green, yellow)	1–5 leaf stage on main stem
Persian darnel	1–5 leaf stage on main stem
Voluntary canary seed	1–6 leaf stage on main stem
Volunteer oats (tame)	3–6 leaf stage on main stem
Wild oats	1–6 leaf stage on main stem

HOW IT WORKS:

Ladder® All-In is absorbed by the leaves and is rapidly translocated to the growing points of leaves and stems. Yellowing in 1–3 weeks. Complete control in 3–5 weeks after application.

CROP STAGING:

Prior to emergence of 4th tiller.

WATER VOLUME:

- 20–40 L/ac when applied alone.
- Minimum 40 L/ac when tank mixed with broadleaf herbicides.

RAINFASTNESS:

30 minutes

LADDER® ALL-IN

SUPPORTED TANK MIXES:

Herbicides:

- 2,4-D Amine
- Ally® 2
- Approve®
- Attain™
- Benchmark®
- Bromoxynil (Bromotril® II)
- Bromoxynil + 2,4-D (Thrasher® II)
- Bromoxynil + MCPA (Badge® II)
- Curtail® M
- Dicamba
- Dichlorprop-D
- DYCLEER® + Starane™ Herbicide
- Dyvel®
- Estaprop® Plus
- Florasulam 50 SC (Priority®)
- Fluroxypyr + 2,4-D (Rush 24™)
- Forcefighter™ M
- Hotshot™
- Inifinity®
- Koril® 235
- Lontrel™ 360
- MCPA Amine
- MCPA Ester
- MCPA Sodium Salt 300
- Mecoprop-P
- Mextrol® 450
- Outshine™
- Prestige™
- Pulsar®
- Refine® SG
- Rush M™
- Target®
- Trophy®
- Turboprop® 600

Insecticides:

- Decis®
- Lambda-cyhalothrin (Silencer® 120 EC)

Fungicides:

- Propiconazole (Bumper®)

MIXING INSTRUCTIONS:

1. Clean spray tank and ½ fill with clean water. Start agitation or bypass system.
2. If a broadleaf herbicide, insecticide or fungicide is to be used, add the product FIRST prior to adding Ladder® All-In and agitate for 2–3 minutes.
3. Add correct amount of Ladder All-In. Agitate for 3–5 minutes before adding remainder of water and then maintain constant agitation.
4. After any break in spraying operations, agitate thoroughly before spraying again.
5. Use the spray suspension as soon as it is prepared.
6. If an oil film starts to build up in the tank, drain tank and then clean with a detergent.

PRE-HARVEST INTERVAL:

60 days

GRAZING RESTRICTIONS:

Observe a minimum of 3 days before grazing livestock on treated crops.

STORAGE:

Store away from food, feed and fertilizer.

QUICK TIPS:

Avoid application when heavy rain is forecasted. Use higher application rate when targeting Persian darnel or in cases of heavy grassy weed infestation. Ladder All-In contains an internal adjuvant; do not add an external surfactant.