



MCPA AMINE 600

MATERIAL SAFETY DATA SHEET

1: CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name: MCPA Amine 600
Product Use: Phenoxy (Broadleaf) Herbicide
Product Number: 31432

Manufacturer /Supplier: LOVELAND PRODUCTS CANADA, INC
789 Donnybrook Drive
Dorchester, Ontario N0L 1G5

Effective Date: 19-June-2015

This product is regulated under authority of the Pest Control Products Act

2: HAZARD IDENTIFICATION

Effects of Overexposure:

Route of Exposure: Inhalation, eye contact, skin contact, ingestion.
Inhalation: A single exposure to vapors is not likely to be hazardous.
Eye Contact: May cause severe irritation with corneal injury, which may result in permanent impairment of vision, even blindness.
Skin Contact: May cause skin irritation.
Ingestion: Moderately toxic; May cause gastrointestinal irritation and ulceration

3: COMPOSITION AND INFORMATION ON INGREDIENTS

COMPONENT	CAS NUMBER	% (W/W)
(4-Chloro-2-methylphenoxy) acetic acid	94-74-6	51.78 – 54.98
Other ingredients		45.02 – 48.22

Ingredients not listed are proprietary or non-hazardous

4: FIRST AID MEASURES

Inhalation: Move victim to fresh air. Give artificial respiration ONLY if breathing has stopped. Give cardiopulmonary resuscitation (CPR) if there is no breathing AND no pulse. Obtain medical attention IMMEDIATELY.

Ingestion: If swallowed, induce vomiting immediately by giving two glasses of water and sticking finger down throat. Never give anything by mouth to an unconscious person.

Skin: Flush skin with running water, and then continue flushing with running water for 5 - 10 minutes. Start flushing while removing contaminated clothing. If irritation persists, repeat flushing.

Eyes: In case of contact, immediately flush eyes with plenty of water for 5 - 15 minutes and get medical attention.

Emergency Medical Care: Treatment based on judgment of the physician in response to reaction of the patient. There is no specific antidote.

5: FIRE-FIGHTING MEASURES

Unusual Fire & Explosion Hazards:	Noxious fumes may be formed under fire conditions. Contain water from firefighting to prevent entry into water supplies.
Extinguishing Media:	Carbon Dioxide, Foam, Water Fog, and Dry Chemical. (But not SODA DRY POWDER)
Special Oxidizing Material Hazards:	Not Established Hazardous Combustion
Products:	Noxious (HCl & Amines) fumes under fire conditions. Special Fire Fighting
Procedures:	Use water spray to cool fire exposed containers or structures. Use self-contained breathing apparatus and protective clothing.

6: ACCIDENTAL RELEASE MEASURES

In case of spillage, absorb with inert material and dispose of in accordance with applicable regulations.

7: HANDLING AND STORAGE

Store in a cool, well-ventilated area. Keep away from heat, sparks and filling of containers. Keep away from children; prevent contact with eyes, skin, and clothing. Do not store near fertilizers, foodstuffs, seed, insecticides or fungicides.

Do not contaminate irrigation ditches or domestic water supplies. If this happens notify police and local authorities.

8: EXPOSURE CONTROLS AND PERSONAL PROTECTION**Exposure Limits:**

(4-Chloro-2-methylphenoxy) acetic acid

LD50-ORAL:	737 mg/kg Rat
LD50-DERMAL:	> 2000 mg/kg Rabbit
T.L.V. (ACGIH):	15 mg/m ³ (MCPA Acid)
LC50:	Not Established
Special Engineering Controls:	Local exhaust ventilation required.
Eye Protection:	CSA approved safety glasses with side shields or goggles.
Respiratory Protection:	No respiratory protection needed unless mist generated, then a NIOSH/MSHA toxic mist mask suggested.
Hand and Arm:	PVC or rubber gloves.
Feet:	Rubber boots.
Body:	Coveralls.
Other Personal Protection:	Recommendations listed above indicate the type of equipment which will provide protection against overexposure to this product. Conditions of use, adequacy of engineering or other control measures, and actual exposures will dictate the need for specific protective devices at your workplace.

9: PHYSICAL AND CHEMICAL PROPERTIES

Physical State:	Liquid
Appearance & Odour:	Brown, Fishy Odour
Specific Gravity:	(@ 20 ⁰ c): 1.1448
Vapour density:	Not established
Solubility in water:	Miscible
Solubility in liquids:	Not established
Freezing point:	- 3 ⁰ c
% volatile by volume:	Not applicable
Boiling point:	100 ⁰ c
Odour threshold (ppm):	Not established
Coefficient of water/oil distribution:	Not applicable
Vapour pressure:	Not established
Evaporation rate:	Not Established
pH:	8.1 - 8.5
Viscosity:	34.4 cps at 20°C
Flash Point & Method:	(⁰ C): > 100 (Tag Closed Cup)
Flammable Limits (% in air):	Lower: Not Applicable Upper: Not Applicable
Autoignition Temperature:	Not Applicable

10: STABILITY AND REACTIVITY

Decomposition Temp:	Not Established
Stability:	Stable under normal conditions.
Materials to Avoid:	Acids, oxidizing agents Hazardous Decomposition
Products:	Hydrogen Chloride and nitrogen oxides may be formed under fire conditions Hazardous
Polymerization or Condensation:	Will not occur.
Conditions to Avoid:	Elevated temperatures, product may boil then burn.

11: TOXICOLOGICAL INFORMATION

Skin Absorption:	Acute dermal LD50 (Rat)	>5000 mg/kg.
Ingestion:	Acute oralLD50 (rat)	1611 mg/kg.
Inhalation:	LC50	Not Established
Chronic Health Hazards:	Excessive exposure may cause liver, kidney, gastrointestinal and muscle effects. Signs and symptoms of excessive exposure may be nausea, vomiting, abdominal cramps and diarrhea.	
Chronic Effects/ Carcinogenicity:	The International Agency for Research on Cancer (IARC) lists exposure to chlorophenoxy herbicides as a class 2B carcinogen, the category for limited evidence for carcinogenicity in humans. Newer rat and mouse lifetime feeding studies did not show carcinogenic potential for MCPA	
Reproductive Toxicity:	Testicular effects and lower male fertility have been noted in animal studies.	
Developmental Toxicity	MCPA studies in laboratory animals have shown decreased fetal body weights and delayed development in the offspring at doses toxic to mother animals	
Genotoxicity:	There have been some positive and some negative studies, but the weight of evidence is that MCPA is not mutagenic.	

12: ECOLOGICAL INFORMATION**Data on MCPA Products:**

96-Hour LC50 (mg/L): 230 (Rainbow Trout) 96-Hour LC50 (mg/L): 310 (Bluegill)
48-Hour EC50 (mg/L): 190 (Daphnia) Oral LD50 (mg/kg): 390 (Bobwhite Quail)
Dietary LC50 (ppm): > 5620 (Mallard Duck)

Chemical Fate Information: MCPA DMA rapidly dissociates to parent MCPA in the environment. In soil, MCPA is microbially degraded with typical half-life of approximately 10 to 14 days

13: DISPOSAL CONSIDERATIONS

Dispose of waste materials in an approved incinerator or waste treatment/disposal facility in accordance with applicable regulations. Do not dispose of wastes in local sewer or with normal waste.

14: TRANSPORT INFORMATION

This product is Not Regulated under regulations of the Transport of Dangerous Goods Act.

15: REGULATORY INFORMATION

Pest Control Products Act
Registration Number: 31432
For Information Phone: 1-800-328-4678
MSDS Status/
Revised Sections:
Replaces MSDS Dated: New

16: OTHER INFORMATION

WHMIS Ratings: D2B
Notice: This data sheet was developed from information on the constituent materials identified herein and does not relate to the use of such materials in combination with any other material or process. No warranty is expressed or implied with respect to the completeness or ongoing accuracy of the information contained in this data sheet, and LOVELAND PRODUCTS CANADA, INC. disclaims all liability for reliance on such information. This data sheet is not a guarantee of safety. Users are responsible for ensuring that they have all current information necessary to safely use the product described by this data sheet for their specific purpose.