

**SAFETY DATA SHEET**

SDS NUMBER: 1000555114-14-LPI

SDS REVISIONS: NEW

**SIGNATURE® SST™ 8% CALCIUM**  
DATE OF ISSUE: 05/01/14

SUPERSEDES: NEW

**FOR CHEMICAL EMERGENCY, SPILL, LEAK, FIRE, EXPOSURE OR ACCIDENT, CALL CHEMTREC - DAY OR NIGHT 1-800-561-8273****1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER****1.1 PRODUCT IDENTIFIER:**

TRADE NAME: SST™ 8% CALCIUM

**1.2 RECOMMENDED USE:** FOLIAR FERTILIZER**1.3 SUPPLIER DETAILS:**LOVELAND PRODUCTS CANADA, INC.  
789 Donnybrook Drive • Dorchester, Ontario N0L 1G5**1.4 24-Hour Emergency Phone:** 1-800-561-8273 - **Additional Emergency Phone (Canutec):** 1-613-996-6666 (Collect)**2. HAZARDS IDENTIFICATION****2.1 Classification of the substance or mixture**

Not classified

**2.2 Label elements**

Further information: The product does not need to be labeled in accordance with EC directives or respective national laws.

**2.3 Other hazards**

None known

**KEEP OUT OF REACH OF CHILDREN –**

Appearance and odour: Clear liquid with slight odour.

**CAUTION – POSSIBLE SKIN IRRITATION – POSSIBLE EYE IRRITATION – POSSIBLE RESPIRATORY TRACT IRRITATION****Potential Health effects****Routes of exposure** Eye contact, skin contact, inhalation.**Eyes** May cause eye irritation.**Skin** May cause skin irritation.**Inhalation** May be irritating to respiratory system.**Ingestion** May be irritating to mouth, throat, and stomach.**Target organs** Skin. Eyes. Inhalation.**Signs and symptoms** May cause irritation to the eyes, skin, gastrointestinal tract, and respiratory system.**Potential environmental effects** This product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have harmful or damaging effect on the environment.**3. COMPOSITION, INFORMATION ON INGREDIENTS****3.1 Mixtures**

Chemical Name:	CAS No.	Classification	Concentration [%]
Calcium (Ca)	62-54-4		8.00
Silicon (SiO <sub>2</sub> )	7631-86-9		2.00
Water	7732-18-5		Balance

**4. FIRST AID MEASURES****4.1 Description of First Aid Measures**

General Advice: Get medical attention if symptoms occur.

**Eye contact:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.**Ingestion:** Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.**Skin contact:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice.**Inhalation:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferable by mouth-to-mouth, if possible. Call a poison control centre or doctor for treatment advice.**4.2 Most Important Symptoms and Effects, Acute and Delayed**

Symptoms : Risk of damage to eyes. Skin irritation. Respiratory tract irritation.

# SAFETY DATA SHEET

SDS NUMBER: 1000555114-14-LPI

SDS REVISIONS: NEW

**SIGNATURE® SST™ 8% CALCIUM**  
DATE OF ISSUE: 05/01/14  
SUPERSEDES: NEW

## 4.3 Immediate Medical Attention and Special Treatment

Treatment : Treat symptomatically. Symptoms may be delayed.  
**FOR A MEDICAL EMERGENCY INVOLVING THIS PRODUCT CALL: 1-800-561-8273**

Take container, label or product name with you when seeking medical attention.  
**NOTES TO PHYSICIAN:** No specific antidote. Treatment of exposure should be directed at the control of symptoms and the clinical condition of the patient.

---

## 5 FIRE FIGHTING MEASURES

---

### 5.1 EXTINGUISHING MEDIA:

Suitable Extinguishing Media: Considered non-combustible, use medium appropriate to surrounding fire. Dry chemical, carbon dioxide (CO<sub>2</sub>), foam, water spray or fog.

### 5.2 SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE:

Specific Hazards During Firefighting: During a fire, oxides of carbon and acetone may be produced. When heated above 160°C (320°F) in enclosed spaces, highly flammable/explosive acetone may be generated.

### 5.3 SPECIAL PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIREFIGHTERS

Special Protective Equipment for Firefighters: Self-contained breathing apparatus and full protective gear should be worn in fighting large fires involving chemicals. Use water spray to keep fire exposed containers cool. Keep people away. Isolate fire and deny unnecessary entry.

---

## 6 ACCIDENTAL RELEASE MEASURES

---

### 6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

Personal Precautions: Avoid inhalation of vapours and spray mist and contact with skin and eyes. Ensure adequate ventilation. Wear suitable protective clothing.

### 6.2 ENVIRONMENTAL PRECAUTIONS

Environmental Precautions: Prevent further leakage or spillage if safe to do so. Do not contaminate water. Do not allow to enter drains, sewers, or watercourses.

### 6.3 METHODS AND MATERIALS FOR CONTAINMENT AND CLEAN-UP

Methods for Clean-Up: Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. After removal flush contaminated area thoroughly with water.  
Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. Never return spills to original containers for re-use.

---

## 7 HANDLING AND STORAGE

---

### 7.1 PRECAUTIONS FOR SAFE HANDLING:

Advice on Safe Handling: Avoid inhalation of vapours / spray and contact with eyes, skin and clothing. Do not breathe mist or vapour. Wear personal protective equipment. Do not use in areas without adequate ventilation. Avoid prolonged exposure. Wash thoroughly after handling. Do not empty into drains. Handle and open container with care. Use care in handling/storage. Wash before eating, drinking and/or smoking.

### 7.1 CONDITIONS FOR SAFE STORAGE:

Requirements for Storage Areas and Containers: Store in original containers only. Keep containers tightly closed when not in use. Store in a cool, dry, well-ventilated area, preferably in a locked storage area away from children, feed and food products, and seed. Store above 0°C (32°F). Do not contaminate water, food, or feed by storage or disposal.

---

## 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

---

### 8.1 CONTROL PARAMETERS:

#### OCCUPATIONAL EXPOSURE LIMITS

#### ACGIH® TLVs®

Components	Type	Value
No listings		

#### Biological limit values

#### ACGIH Biological Exposure Indices

Components	Value	Specimen
No listings		

**8.1 EXPOSURE CONTROLS:**

**Engineering Measures**

Provide adequate general and local exhaust ventilation. Observe Occupational Exposure Limits and minimize the risk of inhalation of vapours and spray mists. Provide eyewash station and safety shower.

**Individual Protection Measures:**

Eye / Face Protection : Goggles or shielded safety glasses are recommended.  
Skin Protection : Chemical resistant clothing is recommended. Routinely wash work clothing and protective equipment to remove contaminants. The use of chemical-resistant gloves is recommended when handling undiluted product. Be aware that the liquid may penetrate the gloves. Frequent change is advisable.  
Respiratory Protection : In case of inadequate ventilation or risk of inhalation of vapours, use suitable respiratory equipment. Wear respiratory protection during operations where spraying or misting occurs. In the U.S.A., if respirators are used, a program should be in place to assure compliance with 29 CFR 1910.134, the OSHA Respiratory Protection standard. Wear air supplied respiratory protection if exposure concentrations are unknown.

---

**9 PHYSICAL AND CHEMICAL PROPERTIES**

---

9.1 APPEARANCE : Clear liquid  
ODOUR: Mild.  
ODOUR THRESHOLD: 0.1 ppm.  
COLOUR: Clear.  
pH: No data available.  
MELTING POINT / FREEZING POINT: No data available  
BOILING POINT: No data available  
FLASH POINT: Does not flash  
FLAMMABILITY (solid, gas): Does not support combustion.  
UPPER / LOWER FLAMMABILITY OR EXPLOSIVE LIMITS: Not applicable.  
VAPOUR PRESSURE: No data available.  
SOLUBILITY: Soluble  
PARTITION CO-EFFICIENT, n-OCTANOL / WATER: No data.  
AUTO-IGNITION TEMPERATURE: No data available.  
DECOMPOSITION TEMPERATURE: Not determined  
VISCOSITY: Not determined  
SPECIFIC GRAVITY (Water = 1): 1.33 g/ml  
BULK DENSITY: 1.33 kg/L / 11.10 lbs./gal.

Note: These physical data are typical values based on material tested but may vary from sample to sample.  
Typical values should not be construed as a guaranteed analysis of any specific lot or as specification items.

---

**10 STABILITY AND REACTIVITY**

---

**10.1 REACTIVITY**

Stable

**10.2 CHEMICAL STABILITY**

Stable under normal temperature conditions

**10.3 POSSIBILITY OF HAZARDOUS REACTIONS**

No reactions known under normal use conditions. Will not polymerize.

**10.4 CONDITIONS TO AVOID**

Extreme high temperatures.

**10.5 INCOMPATIBLE MATERIALS**

Water reactive materials.

**10.6 HAZARDOUS DECOMPOSITION PRODUCTS**

Decomposition products can include and are not limited to: oxides of carbon and acetone.

---

**11 TOXICOLOGICAL INFORMATION**

---

**11.1 LIKELY ROUTES OF EXPOSURE**

Skin contact, eye contact.

LC<sub>50</sub> (rat): No data available (Calcium)

LD<sub>50</sub> Oral (rat): No data available (Calcium)

LD<sub>50</sub> Dermal (rabbit): No data available (Calcium)

LD<sub>50</sub> Oral (rat): No data available (Silicon)

LD<sub>50</sub> Dermal (rat): No data available (Silicon)

LC<sub>50</sub> (rat): No data available (Silicon)

Acute Toxicity Estimates: No data available

Skin Irritation (rabbit): No data available

Eye Irritation (rabbit): No data available

Specific Target Organ Toxicity: Single exposure: No data available.

Aspiration: No data available

Skin Sensitization (guinea pig): Not a sensitizer

Carcinogenicity: No data available

Germ Cell Mutagenicity: No data available

Interactive Effects: None known

**SAFETY DATA SHEET**

SDS NUMBER: 1000555114-14-LPI

SDS REVISIONS: NEW

SIGNATURE® SST™ 8% CALCIUM  
DATE OF ISSUE: 05/01/14  
SUPERSEDES: NEW**12 ECOLOGICAL INFORMATION****12.1 ECOTOXICITY**

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

**Ecotoxicological Data****Components****Species****Test Results**

No data available

May promote eutrophication if allowed into waterways.  
Do not apply directly to water.  
Do not contaminate water when disposing of equipment wash water.  
Do not apply when weather conditions favor drift from target area.

**12.2 PERSISTENCE AND DEGRADABILITY**

Biodegradability: The product is not readily biodegradable

**12.3 BIOACCUMULATIVE POTENTIAL**

Bioaccumulation: No data available.

**12.4 MOBILITY IN SOIL**

This product is water soluble and may disperse in soil.

**12.5 OTHER ADVERSE EFFECTS**

Assessment: No data available.

**13 DISPOSAL CONSIDERATIONS****13.1 WASTE TREATMENT METHODS**

Do not reuse containers for any purpose. Container is recyclable, and is to be disposed of at a container collection site. Contact your local dealer/distributor for the location of the nearest collection site. Before taking container to the collection site: Triple or pressure-rinse the empty container, adding the rinsate to the spray tank. Make the empty container unsuitable for further use. If there is no container collection site in your area, dispose of the container in accordance with provincial requirements. For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Do not contaminate water, food or feed by storage or disposal.

**14 TRANSPORT INFORMATION****14.1 LAND TRANSPORT**

TDG Shipping Description: NOT REGULATED

U.S. Surface Freight Classification: FERTILIZING COMPOUNDS (MANUFACTURED FERTILIZERS), NOI; LIQUID (NMFC 68140, SUB 6; CLASS 70)

**15 REGULATORY INFORMATION****15.1 SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS****NFPA & HMIS Hazard Ratings:****NFPA**

1 Health	0 Least
0 Flammability	1 Slight
0 Instability	2 Moderate
	3 High
	4 Severe

**HMIS**

1 Health
0 Flammability
0 Reactivity
B PPE

**U.S. SARA Hazard Notification/Reporting**

U.S. SARA Title III Hazard Category:	Immediate	<u>Y</u>	Fire	<u>N</u>	Sudden Release of Pressure	<u>N</u>
	Delayed	<u>N</u>	Reactive	<u>N</u>		

Reportable Quantity (RQ) under U.S. CERCLA: Not listed

U.S. SARA, Title III, Section 313: Not listed

RCRA Waste Code: Not listed

CA Proposition 65: Not applicable.

**SAFETY DATA SHEET**

SDS NUMBER: 1000555114-14-LPI

SDS REVISIONS: NEW

**SIGNATURE® SST™ 8% CALCIUM**  
DATE OF ISSUE: 05/01/14

SUPERSEDES: NEW

---

**16 OTHER INFORMATION**

---

**MSDS STATUS:** New**PREPARED BY:** Registrations and Regulatory Affairs**REVIEWED BY:** Environmental Health and Safety

*®Signature is a registered trademark and SST is a trademark of Loveland Products Canada, Inc.*

**Disclaimer and Limitation of Liability:** This data sheet was developed from information on the constituent materials identified herein and does not relate to the use of such materials in combination with any other material or process. No warranty is expressed or implied with respect to the completeness or ongoing accuracy of the information contained in this data sheet, and LOVELAND PRODUCTS CANADA, INC. disclaims all liability for reliance on such information. This data sheet is not a guarantee of safety. Users are responsible for ensuring that they have all current information necessary to safely use the product described by this data sheet for their specific purpose.