

**FOR CHEMICAL EMERGENCY, SPILL, LEAK, FIRE, EXPOSURE OR ACCIDENT, CALL DAY OR NIGHT 1-800-561-8273 or CHEMTREC – DAY OR NIGHT 1 800-424-9300**

**1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER**

- 1.1 **PRODUCT IDENTIFIER:**  
**TRADE NAME:** SALVO® 2,4-D ESTER
- 1.2 **RECOMMENDED USE:** GROUP 4 HERBICIDE
- 1.3 **DISTRIBUTED BY:**  
LOVELAND PRODUCTS CANADA, INC.  
789 DONNYBROOK DRIVE • DORCHESTER, ONTARIO N0L 1G5
- 1.4 **24 Hour Emergency Phone: (Chemtrec):** 1-800-424-9300 (Toll Free) - **Additional Emergency Phone** 1-800-561-8273  
**Loveland Technical Service:** 1-800-328-4678  
**U.S. Coast Guard National Response Center:** 1-800-424-8802

**2. HAZARDS IDENTIFICATION**

**2.1 Classification of the substance or mixture**

Acute Toxicity – Oral	Category 4	H302
Eye Damage/Irritation	Category 2B	H320
Sensitization – Skin	Category 1	H317
Specific Target Organ Toxicity (Single Exposure)	Category 1	H370
Specific Target Organ Toxicity (Repeated Exposure)	Category 1	H372

**2.2 Label elements**



Signal word: DANGER

Hazard Statement: H302 – Harmful if swallowed.  
H313 – May be harmful in contact with skin.  
H320 – Causes eye irritation.  
H317 – May cause an allergic skin reaction.  
H370 – Causes damage to organs.  
H372 – Causes damage to organs through prolonged or repeated exposure.  
H401 – Toxic to aquatic life.

Precautionary Statement: (Prevention): P264 – Wash face, hands and any exposed skin thoroughly after handling.  
P270 – Do not eat, drink or smoke when using this product.  
P261 – Avoid breathing dust/fume/gas/mist/vapors/spray.  
P271 – Use only outdoors or in a well-ventilated area.  
P201 – Obtain special instructions before use.  
P202 – Do not handle until all safety precautions have been read and understood.  
P280 – Wear protective gloves/protective clothing/eye protection/face protection.  
P260 – Do not breathe dust/fume/gas/mist/vapors/spray.

Precautionary Statement: (Response): P301+P312: IF SWALLOWED: Call a poison centre or doctor/physician if you feel unwell.  
P330 – Rinse mouth.  
P304+P340: IF INHALED: Remove person to fresh air and keep at rest in a position comfortable for breathing.  
P312 – Call a poison centre or doctor/physician if you feel unwell.  
P308+P313 – If exposed or concerned: Get medical advice/attention.  
P307+P311 – If exposed: Call a poison centre or doctor/physician.  
P321 – Specific treatment (see NOTE TO PHYSICIAN on the product label).  
P314 – Get medical advice/attention if you feel unwell.

Precautionary Statement: (Storage): P405 – Store locked up.



# SAFETY DATA SHEET

SDS NUMBER: 27818-18-LPI

SDS REVISIONS: SEC. 1

**SALVO® 2,4-D ESTER PCP 27818**

DATE OF ISSUE: 10/29/18

SUPERSEDES: 10/25/16

Precautionary  
Statement:  
(Disposal)

P501 – Dispose of contents/container to an approved waste disposal to an approved waste disposal facility.

### 2.3 Other hazards

None known.

---

## 3. COMPOSITION, INFORMATION ON INGREDIENTS

---

### 3.1 Substances

### 3.2 Mixtures

Chemical Name:	CAS No.	Concentration [%]
2-ethylhexyl ester of 2,4-D	1928-43-4	660 g.a.e./ L   81.8
Other ingredients*, contains	n/a	18.2
Benzenesulfonic acid, dodecyl-, branched	27176-87-0	<4
Distillates (Petroleum) Hydrotreated Light	64742-47-8	<10
Ethoxylated castor oil	61791-12-6	<1
Proprietary surfactant blend	Proprietary	<6

\*Ingredients not specifically listed are non-hazardous or are to be considered proprietary or confidential business information

---

## 4. FIRST AID MEASURES

---

### 4.1 Description of First Aid Measures

General Advice: Get medical attention if symptoms occur.

- If swallowed:** Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control centre or doctor. Do not give anything by mouth to an unconscious person.
- If on skin or clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice.
- If in eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

### 4.2 Most Important Symptoms and Effects, Acute and Delayed

Symptoms: Central nervous system effects.

### 4.3 Immediate Medical Attention and Special Treatment

Treatment: This product contains petroleum distillates.

**FOR A MEDICAL EMERGENCY INVOLVING THIS PRODUCT CALL: 1-800-561-8273**

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

**NOTES TO PHYSICIAN:** Contains petroleum distillates. If in eyes specialized ophthalmologic attention may be necessary. If swallowed probable mucosal damage may contraindicate gastric lavage. There is no specific antidote. Employ supportive care and treat symptomatically.

---

## 5. FIRE FIGHTING MEASURES

---

### 5.1 EXTINGUISHING MEDIA:

Suitable Extinguishing Media: Use medium appropriate to surrounding fire. Foam, carbon dioxide (CO<sub>2</sub>), dry chemical, soft stream or water fog only if necessary.

### 5.2 SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE:

Specific Hazards During Firefighting: None known.

### 5.3 SPECIAL PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIREFIGHTERS

Special Protective Equipment for Firefighters: Self-contained breathing apparatus and full protective gear should be worn in fighting large fires involving chemicals. Use water spray to keep fire exposed containers cool. Keep people away. Isolate fire and deny unnecessary entry.

---

## 6. ACCIDENTAL RELEASE MEASURES

---

### 6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

Personal Precautions: Avoid inhalation of vapours and spray mist and contact with skin and eyes. Ensure adequate ventilation. Wear suitable protective clothing.

### 6.2 ENVIRONMENTAL PRECAUTIONS

Environmental Precautions: This pesticide is toxic to fish and aquatic invertebrates. Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark except as noted on appropriate labels. Drift and runoff from treated areas may be hazardous to aquatic organisms in water adjacent to treated areas. Do not contaminate water when disposing of equipment wash waters or rinsate.

This chemical has properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination. Application around a cistern or well may result in contamination of drinking water or groundwater.

### 6.3 METHODS AND MATERIALS FOR CONTAINMENT AND CLEAN-UP

Methods for Clean-Up: Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. After removal flush contaminated area thoroughly with water.  
Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to Remove residual contamination.  
Never return spills to original containers for re-use.

---

## 7. HANDLING AND STORAGE

---

### 7.1 PRECAUTIONS FOR SAFE HANDLING:

Advice on Safe Handling: Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

### 7.2 CONDITIONS FOR SAFE STORAGE:

Requirements for Storage Areas and Containers: Open dumping is prohibited. Avoid contamination of fertilizers, seeds, plants, insecticides, and fungicides in storage. Store in original container and out of reach of children, preferably in a locked storage area. Handle and open container in a manner as to prevent spillage. If product is stored below freezing, it is suggested that it be allowed to warm to at least 4.4 °C and be agitated before use. If the container is leaking, invert to prevent leakage. If container is leaking or material spilled for any reason or cause, carefully dam up spilled material to prevent runoff. Refer to Precautionary Statements on label for hazards associated with the handling of this material. Do not walk through spilled material. Absorb spilled material with absorbing type compounds and dispose of as directed for pesticides below. In spill or leak incidents, keep unauthorized people away. Do not contaminate water, food or feed by storage or disposal.



# SAFETY DATA SHEET

SDS NUMBER: 27818-18-LPI

SDS REVISIONS: SEC. 1

**SALVO® 2,4-D ESTER PCP 27818**

DATE OF ISSUE: 10/29/18

SUPERSEDES: 10/25/16

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

### 8.1 CONTROL PARAMETERS:

#### OCCUPATIONAL EXPOSURE LIMITS

##### U.S. Workplace Exposure Level (ACGIH) TLVs

Components	Type	Value
2,4-D (CAS: 94-75-7)	TLV	10 mg/m <sup>3</sup> (Skin) Measured as inhalable fraction of the aerosol

##### U.S. Workplace Exposure Level (OSHA) PELs

Components	Type	Value
2,4-D	TWA	10 mg/m <sup>3</sup>

#### Biological limit values

##### ACGIH Biological Exposure Indices

Components	Value	Specimen
No listings		

### 8.2 EXPOSURE CONTROLS:

#### Engineering Measures

Pilots must use an enclosed cockpit that meets the requirements listed in WPS for agricultural pesticides [40 CFR 170.240(d)(6)]. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.

#### Individual Protection Measures:

- Eye / Face Protection: Goggles or shielded safety glasses are recommended.
- Skin Protection: Long-sleeved shirt and long pants. Shoes plus socks. Chemical-resistant gloves, except for pilots. Chemical-resistant apron for mixing or loading, cleaning up spills or equipment, or otherwise exposed to the concentrate.
- Respiratory Protection: Not normally required. If respirators are used, a program should be in place to assure compliance with 29 CFR 1910.134, the OSHA Respiratory Protection standard.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

- 9.1 APPEARANCE : Liquid
- ODOUR: Mild.
- ODOUR THRESHOLD: No data available.
- COLOUR: Light amber.
- pH: 3.29
- MELTING POINT / FREEZING POINT: No data available
- BOILING POINT: No data available
- FLASH POINT: 81 °C (TCC).
- FLAMMABILITY (solid, gas): No data available.
- UPPER / LOWER FLAMMABILITY OR EXPLOSIVE LIMITS: No data available.
- VAPOUR PRESSURE: No data available.
- SOLUBILITY: Emulsifies.
- PARTITION CO-EFFICIENT, n-OCTANOL / WATER: No data available.
- AUTO-IGNITION TEMPERATURE: No data available.
- DECOMPOSITION TEMPERATURE: No data available.
- VISCOSITY: 26.5 cP @ 25 °C.
- SPECIFIC GRAVITY (Water = 1): 1.104 g/ml
- DENSITY: 1.1 kg/L

Note: These physical data are typical values based on material tested but may vary from sample to sample. Typical values should not be construed as a guaranteed analysis of any specific lot or as specification items.



# SAFETY DATA SHEET

SDS NUMBER: 27818-18-LPI

SDS REVISIONS: SEC. 1

**SALVO® 2,4-D ESTER PCP 27818**

DATE OF ISSUE: 10/29/18

SUPERSEDES: 10/25/16

## 10. STABILITY AND REACTIVITY

### 10.1 REACTIVITY

Stable

### 10.2 CHEMICAL STABILITY

Stable under normal temperature conditions

### 10.3 POSSIBILITY OF HAZARDOUS REACTIONS

No data available. Will not polymerize.

### 10.4 CONDITIONS TO AVOID

Excessive heat.

### 10.5 INCOMPATIBLE MATERIALS

Strong oxidizers.

### 10.6 HAZARDOUS DECOMPOSITION PRODUCTS

None known; however, some chlorine-containing compounds or other hazardous products may be formed in a fire situation. Incomplete combustion may lead to formation of oxides of carbon and/or other asphyxiants.

## 11 TOXICOLOGICAL INFORMATION

### 11.3 LIKELY ROUTES OF EXPOSURE

Ingestion. Eye contact. Skin absorption. Skin contact.

**LC<sub>50</sub> (rat):** 5.43 mg/L (4 HR)

**LD<sub>50</sub> Oral (rat):** 1250 mg/kg

**LD<sub>50</sub> Dermal (rabbit):** > 2,000 mg/kg

**Acute Toxicity Estimates:** No data available

**Skin Irritation (rabbit):** May cause mild irritation.

**Eye Irritation (rabbit):** Moderate eye irritation.

**Specific Target Organ Toxicity:** Skin, Central Nervous System, Liver, Kidneys.

**Aspiration:** Vomiting may cause aspiration pneumonia.

**Skin Sensitization (guinea pig):** Sensitizer

**Carcinogenicity:** ACGIH TLV-A4 (Not Classifiable as a Human Carcinogen)

**Germ Cell Mutagenicity:** No data available.

**Interactive Effects:** None known

## 12 ECOLOGICAL INFORMATION

### 12.3 ECOTOXICITY

The product is toxic to fish and aquatic invertebrates. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment. Information below is based on the technical ingredient 2,4-D acid.

#### Ecotoxicological Data

	Species	Test Results
2,4-D Acid	Rainbow trout	245 mg/L – 96-hour LC <sub>50</sub>
	Bluegill	524 mg/L – 96-hour LC <sub>50</sub>
	Fathead minnow	344 mg/L – 96-hour LC <sub>50</sub>
	Pink shrimp	181 mg/L – 96-hour LC <sub>50</sub>
	Daphnia magna	184 mg/L – 96-hour LC <sub>50</sub>
	Tidewater silverside	469 mg/L – 96-hour LC <sub>50</sub>
	Eastern oyster	136 mg/L – 48-hour EC <sub>50</sub>

Drift or runoff may adversely affect non-target plants.

Do not apply directly to water.

Do not contaminate water when disposing of equipment wash water.

Do not apply when weather conditions favor drift from target area.

### 12.2 PERSISTENCE AND DEGRADABILITY

**Biodegradability:** Biochemical oxygen demand is 0.72 for 5, 10 and 20 days. Chemical oxygen demand is 0.72. Under aerobic soil conditions the half-life is 4 – 23 days. Under aerobic aquatic conditions, the half-life is 0.5 – 11 days.

### 12.3 BIOACCUMULATIVE POTENTIAL

**Bioaccumulation:** Bioconcentration potential is low (BCF < 100 or log Pow < 3).

### 12.4 MOBILITY IN SOIL

High (50 < Koc < 150). Soil organic carbon/water partition coefficient (Koc) is 72-136.

### 12.5 OTHER ADVERSE EFFECTS

**Assessment:** No data available.



# SAFETY DATA SHEET

SDS NUMBER: 27818-18-LPI

SDS REVISIONS: SEC. 1

DATE OF ISSUE: 10/29/18

**SALVO® 2,4-D ESTER PCP 27818**  
SUPERSEDES: 10/25/16

## 13 DISPOSAL CONSIDERATIONS

### 13.1 WASTE TREATMENT METHODS

**For recyclable containers: DO NOT** reuse the container for any other purpose. This is a recyclable container, and is to be disposed of at a container collection site. Contact your local distributor/dealer or municipality for the location of the nearest collection site. Before taking the container to the collection site: Triple-or pressure-rinse the empty container. Dispose of rinsate in accordance with provincial requirements. Make the rinsed container unsuitable for further use. If there is no container collection site in your area, dispose of the container in accordance with provincial requirements.

**For refillable containers:** For disposal, the container may be returned to the point of purchase (distributor/dealer). It must be refilled by the distributor/dealer with the same product. Do not reuse the product container for any other purpose

## 14 TRANSPORT INFORMATION

### 14.3 LAND TRANSPORT

TDG Shipping Description: NOT REGULATED (Packages may be marked with US DOT markings and labels)

DOT Shipping Description: Greater than 20 gallons: RQ UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., 9, III (2,4-D), ERG GUIDE 171

U.S. Surface Freight Classification: COMPOUND, TREE OR WEED KILLING, NOI (NMFC 50320, SUB 2: CLASS: 60)

## 15 REGULATORY INFORMATION

### 15.1 SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS

NFPA & HMIS Hazard Ratings:

NFPA

HMIS

2 Health	0 Least	2 Health
2 Flammability	1 Slight	2 Flammability
0 Instability	2 Moderate	0 Reactivity
	3 High	D PPE
	4 Severe	

SARA Hazard Notification/Reporting

SARA Title III Hazard Category:	Immediate	<u>Y</u>	Fire	<u>Y</u>	Sudden Release of Pressure	<u>N</u>
	Delayed	<u>Y</u>	Reactive	<u>N</u>		

Reportable Quantity (RQ) under U.S. CERCLA: 2,4-D Acid (CAS: 94-75-7) 100 pounds.

SARA, Title III, Section 313: 2,4-D 2-ethylhexyl ester (CAS: 1928-43-4): 81.8%

RCRA Waste Code: U240; D016.

CA Proposition 65: Not listed.

WHMIS [Canada]: Pest control products are not controlled under WHMIS. Classified D2B

## 16 OTHER INFORMATION

SDS STATUS: Section 1 revised.

PREPARED BY: Product Stewardship and Regulatory Affairs

REVIEWED BY: Safety, Health and Environment

**Pest Control Products Act REG. NO.: 27818**

®Salvo is a registered trademark of Loveland Products, Inc.

**Disclaimer and Limitation of Liability:** This data sheet was developed from information on the constituent materials identified herein and does not relate to the use of such materials in combination with any other material or process. No warranty is expressed or implied with respect to the completeness or ongoing accuracy of the information contained in this data sheet, and LOVELAND PRODUCTS CANADA, INC. disclaims all liability for reliance on such information. This data sheet is not a guarantee of safety. Users are responsible for ensuring that they have all current information necessary to safely use the product described by this data sheet for their specific purpose.