

**IN CASE OF EMERGENCY DUE TO A MAJOR SPILL, FIRE OR POISONING INVOLVING THIS PRODUCT CALL DAY OR NIGHT, 1-800-561-8273 or CHEMTREC 1-800-424-9300**

**1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER**

**1.1 PRODUCT IDENTIFIER:**

**TRADE NAME:** MAXIMUM N-PACT® K 12-0-12

**1.2 RECOMMENDED USE:** LIQUID FERTILIZER FOR AGRICULTURAL USE

**1.3 MANUFACTURED FOR AND DISTRIBUTED BY:**

LOVELAND PRODUCTS CANADA, INC.  
789 DONNYBROOK DRIVE • DORCHESTER, ONTARIO N0L 1G5

**1.4 24 Hour Emergency Phone: (Chemtrec): 1-800-424-9300 (Toll Free) - Additional Emergency Phone 1-800-561-8273**

Loveland Technical Service: 1-800-328-4678

**2. HAZARDS IDENTIFICATION**

**2.1 Classification of the substance or mixture**

|  |             |      |
|--|-------------|------|
| Skin Corrosion/Irritation                        | Category 2  | H315 |
| Eye Damage/Irritation                            | Category 2B | H320 |
| Specific Target Organ Toxicity (Single Exposure) | Category 3  | H335 |

**2.2 Label elements**



Signal word:

WARNING

Hazard Statement:

H315 – Causes skin irritation.  
H320 – Causes eye irritation.  
H335 – May cause respiratory irritation.  
H303 – May be harmful if swallowed.

Precautionary Statement: (Prevention):

P264 – Wash hands and face thoroughly after handling.  
P280 – Wear protective gloves/protective clothing/eye protection/face protection.  
P261 – Avoid breathing dust/fume/gas/mist/vapours/spray.  
P271 – Use only outdoors or in a well-ventilated area.

Precautionary Statement: (Response):

P302+P352 – IF ON SKIN: Wash with soap and water.  
P321 – Specific treatment (see First Aid on the product label).  
P332+P313 – If skin irritation occurs: Get medical advice/attention.  
P362 – Take off contaminated clothing and wash it before reuse.  
P305+P351+P338 – IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P337+P313 – If eye irritation persists: Get medical advice/attention.  
P304+P340 – IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
P312 – Call a poison centre or doctor/physician if you feel unwell.

Precautionary Statement: (Storage):

P403+P233 – Store in a well-ventilated place. Keep container tightly closed.  
P405 – Store locked up.

Precautionary Statement: (Disposal):

P501 – Dispose of contents/container in accordance with local, state, and federal requirements.

**2.3 Other hazards**

None known



## SAFETY DATA SHEET

SDS NUMBER: 1000826421-19-LPI

SDS REVISIONS: NEW

MAXIMUM N-PACT® K 12-0-12  
DATE OF ISSUE: 05/21/19  
SUPERSEDES: NEW

### 3. COMPOSITION, INFORMATION ON INGREDIENTS

#### 3.1 Substances

#### 3.2 Mixtures

| Chemical Name:    | CAS No.   | Concentration [%] |
|-------------------|-----------|-------------------|
| Urea              | 57-13-6   | 0 – 22            |
| Triazone          | 7098-14-8 | 0 – 21.5          |
| Potassium Acetate | 127-08-2  | 0 – 20            |
| Water             | 7732-18-5 | 7.5 – 12.5        |

### 4. FIRST AID MEASURES

#### 4.1 Description of First Aid Measures

General Advice: Get medical attention if symptoms occur.

- Eye contact:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.
- Ingestion:** Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.
- Skin contact:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice.
- Inhalation:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferable by mouth-to-mouth, if possible. Call a poison control centre or doctor for treatment advice.

#### 4.2 Most Important Symptoms and Effects, Acute and Delayed

Symptoms: Eye irritation. Skin irritation. May cause respiratory irritation. May be harmful if swallowed.

#### 4.3 Immediate Medical Attention and Special Treatment

Treatment: Treat symptomatically. Symptoms may be delayed.

**FOR A MEDICAL EMERGENCY INVOLVING THIS PRODUCT CALL: 1-800-561-8273**

Take container, label or product name with you when seeking medical attention.

**NOTES TO PHYSICIAN:** No specific antidote. Treatment of exposure should be directed at the control of symptoms and the clinical condition of the patient.

### 5. FIRE FIGHTING MEASURES

#### 5.1 EXTINGUISHING MEDIA:

Suitable Extinguishing Media: Use medium appropriate to surrounding fire. Dry chemical, carbon dioxide (CO<sub>2</sub>), foam, water spray or fog. Do not use water jet as this will spread the fire.

#### 5.2 SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE:

Specific Hazards During Firefighting: During a fire, may include but are not limited to oxides of carbon and oxides of sulfur, ammonia, and oxides of nitrogen can be released.

#### 5.3 SPECIAL PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIREFIGHTERS

Special Protective Equipment for Firefighters: Self-contained breathing apparatus and full protective gear should be worn in fighting large fires involving chemicals. Use water spray to keep fire exposed containers cool. Keep people away. Isolate fire and deny unnecessary entry.



# SAFETY DATA SHEET

## MAXIMUM N-PACT® K 12-0-12

SDS NUMBER: 1000826421-19-LPI

SDS REVISIONS: NEW

DATE OF ISSUE: 05/21/19

SUPERSEDES: NEW

### 6. ACCIDENTAL RELEASE MEASURES

#### 6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

Personal Precautions: Avoid inhalation of mists, vapours / spray and contact with eyes, skin and clothing. Do not breathe mists or vapour. Wear personal protective equipment. Do not use in areas without adequate ventilation. Avoid prolonged exposure. Wash thoroughly after handling. Do not empty into drains. Handle and open container with care. Use care in handling/storage. Wash before eating, drinking and/or smoking.

#### 6.2 ENVIRONMENTAL PRECAUTIONS

Environmental Precautions: Prevent further leakage or spillage if safe to do so. Do not contaminate water. Do not allow to enter drains, sewers, or watercourses.

#### 6.3 METHODS AND MATERIALS FOR CONTAINMENT AND CLEAN-UP

Methods for Clean-Up: Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. After removal flush contaminated area thoroughly with water.  
 Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to Remove residual contamination.  
 Never return spills to original containers for re-use.

### 7. HANDLING AND STORAGE

#### 7.1 PRECAUTIONS FOR SAFE HANDLING:

Advice on Safe Handling: Avoid inhalation of dusts, vapors / spray and contact with eyes, skin and clothing. Do not breathe dusts, mist or vapor. Wear personal protective equipment. Do not use in areas without adequate ventilation. Avoid prolonged exposure. Wash thoroughly after handling. Do not empty into drains. Handle and open container with care. Use care in handling/storage. Wash before eating, drinking and/or smoking.

#### 7.2 CONDITIONS FOR SAFE STORAGE:

Requirements for Storage Areas and Containers: Store product in dark fiberglass or plastic containers out of direct sunlight or UV light. Keep containers tightly closed when not in use. Store in a cool, dry well-ventilated area, preferably in a locked storage area away from children, feed and food products, and seed. PROTECT FROM FREEZING. Do not contaminate water, food or feed by storage or disposal.

### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

#### 8.1 CONTROL PARAMETERS:

##### OCCUPATIONAL EXPOSURE LIMITS

U.S. Workplace Exposure Level (OSHA) PELs

| Components  | Type | Value |
|-------------|------|-------|
| No listings | TWA  |       |

##### Biological limit values

ACGIH Biological Exposure Indices

| Components  | Value | Specimen |
|-------------|-------|----------|
| No listings |       |          |

#### 8.2 EXPOSURE CONTROLS:

##### Engineering Measures

Provide adequate general and local exhaust ventilation. Observe Occupational Exposure Limits and minimize the risk of inhalation of vapors and spray mists. Provide eyewash station and safety shower.

##### Individual Protection Measures:

Eye / Face Protection: Goggles or shielded safety glasses are recommended.  
 Skin Protection: Wear long sleeved shirt and long pants. Routinely wash work clothing and protective equipment to remove contaminants. The use of impervious gloves is recommended when handling undiluted product. Be aware that the liquid may penetrate the gloves. Frequent change is advisable.  
 Respiratory Protection: Not normally required. In case of inadequate ventilation or risk of inhalation of dusts or vapours, use suitable respiratory equipment such as MSHA/NIOSH TC-21C or NIOSH approved respirator with N, R, P or HE filter. If respirators are used, a program should be in place to assure compliance with 29 CFR 1910.134, the OSHA Respiratory Protection standard. Wear air supplied respiratory protection if exposure concentrations are unknown.

---

## 9. PHYSICAL AND CHEMICAL PROPERTIES

---

|   |                    |
|---|--------------------|
| 9.1 APPEARANCE :                                | Liquid             |
| COLOUR:   | Pale green.        |
| ODOUR THRESHOLD:                                | No data available. |
| ODOUR:  | Slight amine.      |
| pH:   | 8.67 (1% solution) |
| MELTING POINT / FREEZING POINT:                 | No data available  |
| BOILING POINT:                                  | 212°F / 100°C      |
| FLASH POINT:                                    | Does not flash.    |
| FLAMMABILITY (solid, gas):                      | No data available. |
| UPPER / LOWER FLAMMABILITY OR EXPLOSIVE LIMITS: | No data available. |
| VAPOR PRESSURE:                                 | No data available. |
| SOLUBILITY:                                     | Soluble            |
| PARTITION CO-EFFICIENT, n-OCTANOL / WATER:      | No data available. |
| AUTO-IGNITION TEMPERATURE:                      | No data available. |
| DECOMPOSITION TEMPERATURE:                      | No data available  |
| VISCOSITY, dynamic:                             | No data available  |
| SPECIFIC GRAVITY (Water = 1):                   | 1.235 g/ml         |
| DENSITY:  | 1.24kg/L           |

Note: These physical data are typical values based on material tested but may vary from sample to sample.  
Typical values should not be construed as a guaranteed analysis of any specific lot or as specification items.

---

## 10. STABILITY AND REACTIVITY

---

### 10.1 REACTIVITY

Stable

### 10.2 CHEMICAL STABILITY

Stable under normal temperature conditions

### 10.3 POSSIBILITY OF HAZARDOUS REACTIONS

No reactions known under normal use conditions. Will not polymerize.

### 10.4 CONDITIONS TO AVOID

Avoid contact with acids or acidic materials. Avoid storage piping or handling systems made of copper, zinc, or their alloys.

### 10.5 INCOMPATIBLE MATERIALS

Strong oxidizers such as nitrates, nitrites, or chlorates can cause explosive mixtures if heated to dryness.

### 10.6 HAZARDOUS DECOMPOSITION PRODUCTS

Heating to dryness may cause the release of ammonia and carbon dioxide.

---

## 11. TOXICOLOGICAL INFORMATION

---

### 11.1 LIKELY ROUTES OF EXPOSURE

Eye contact, skin contact, ingestion.

LC<sub>50</sub> (rat): No data available

LD<sub>50</sub> Oral (rat): >2500 mg/kg (Triazone); 8,471 mg/kg (Urea)

LD<sub>50</sub> Dermal (rat): No data available

Acute Toxicity Estimates: No data available

Skin Irritation (rabbit): May cause skin irritation.

Eye Irritation (rabbit): May cause eye irritation.

Specific Target Organ Toxicity: Single exposure: No data available.

Aspiration: No data available

Skin Sensitization (guinea pig): Not a sensitizer

Carcinogenicity: No data available

Germ Cell Mutagenicity: No data available

Interactive Effects: None known



# SAFETY DATA SHEET

SDS NUMBER: 1000826421-19-LPI

SDS REVISIONS: NEW

# MAXIMUM N-PACT® K 12-0-12

DATE OF ISSUE: 05/21/19

SUPERSEDES: NEW

## 12. ECOLOGICAL INFORMATION

### 12.1 ECOTOXICITY

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment. This product is not intended for use in aquatic settings.

#### Ecotoxicological Data

| Components | Species             | Test Results                                  |
|------------|---------------------|---|
| Urea       | Poecilia reticulata | 16200 – 18300 mg/l – 96-hour LC <sub>50</sub> |
|            | Daphnia magna       | 3,910 mg/l - 96-hour EC <sub>50</sub>         |

Drift or runoff may adversely affect non-target plants.  
Do not apply directly to water.  
Do not contaminate water when disposing of equipment wash water.  
Do not apply when weather conditions favor drift from target area.

### 12.2 PERSISTENCE AND DEGRADABILITY

Biodegradability: No data available

### 12.3 BIOACCUMULATIVE POTENTIAL

Bioaccumulation: No data available.

### 12.4 MOBILITY IN SOIL

No data available.

### 12.5 OTHER ADVERSE EFFECTS

Assessment: No data available.

## 13. DISPOSAL CONSIDERATIONS

### 13.1 WASTE TREATMENT METHODS

Do not reuse containers for any purpose. Make the empty container unsuitable for further use. If there is no container collection site in your area, dispose of the container in accordance with provincial requirements. For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Do not contaminate water, food, or feed by storage or disposal. For disposal, the container may be returned to the point of purchase (distributor/dealer). It must be refilled by the distributor/dealer with the same product. Do not reuse the product container for any other purpose.

## 14. TRANSPORT INFORMATION

### 14.1 LAND TRANSPORT

**TDG Shipping Description:** NOT REGULATED.

**U.S. Surface Freight Classification:** FERTILIZING COMPOUNDS (MANUFACTURED FERTILIZERS), NOI, LIQUID (NMFC 68140, SUB 6; CLASS 70)

## 15. REGULATORY INFORMATION

### 15.1 SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS

#### NFPA & HMIS Hazard Ratings:

#### NFPA

|   |              |   |          |
|---|--------------|---|----------|
| 1 | Health       | 0 | Least    |
| 0 | Flammability | 1 | Slight   |
| 0 | Instability  | 2 | Moderate |
|   |              | 3 | High     |
|   |              | 4 | Severe   |

#### HMIS

|   |              |
|---|--------------|
| 1 | Health       |
| 0 | Flammability |
| 0 | Reactivity   |
| B | PPE          |



# SAFETY DATA SHEET

SDS NUMBER: 1000826421-19-LPI

SDS REVISIONS: NEW

MAXIMUM N-PACT® K 12-0-12

DATE OF ISSUE: 05/21/19

SUPERSEDES: NEW

**SARA Hazard Notification/Reporting**

**SARA Title III Hazard Category:**

Immediate Y  
Delayed N

Fire N  
Reactive N

Sudden Release of Pressure N

Reportable Quantity (RQ) under U.S. CERCLA: Not listed

SARA, Title III, Section 313: Not listed

RCRA Waste Code: Not listed

CA Proposition 65: Not applicable.

---

## 16. OTHER INFORMATION

---

SDS STATUS: New

PREPARED BY: Product Stewardship and Regulatory Affairs

REVIEWED BY: Safety, Health and Environment

®N-Pact is a registered trademark of Loveland Products, Inc.

**Disclaimer and Limitation of Liability:** This data sheet was developed from information on the constituent materials identified herein and does not relate to the use of such materials in combination with any other material or process. No warranty is expressed or implied with respect to the completeness or ongoing accuracy of the information contained in this data sheet, and LOVELAND PRODUCTS CANADA, INC. disclaims all liability for reliance on such information. This data sheet is not a guarantee of safety. Users are responsible for ensuring that they have all current information necessary to safely use the product described by this data sheet for their specific purpose.