

®

TM

Deadline M-Ps

One last meal for slugs & snails®

MOLLUSCICIDE PELLETS

COMMERCIAL

READ THE LABEL BEFORE USING

ACTIVE INGREDIENT:

Metaldehyde 4.0%

Contains calcium propionate at 3.18% as a preservative

Warning, contains the allergen wheat

REGISTRATION NO. 26650 *PEST CONTROL PRODUCTS ACT*

CAUTION POISON

KEEP OUT OF REACH OF CHILDREN

NET CONTENTS: 22.68 kg (50 lbs.)

Manufactured by:

AMVAC CHEMICAL CORPORATION

Suite 1200
4695 MacArthur Court
Newport Beach CA 92660
United States
(323) 264-3910

Distributed by:

UNITED AGRI PRODUCTS

789 Donnybrook Drive
Dorchester, Ontario
Canada - N0L 1G5
(519) 268-8001

EFFECTIVE

DEADLINE M-Ps excel at attracting and destroying slugs and snails.

LONG LASTING

Remains effective after rain and watering. DEADLINE M-Ps pellets are not easily dissipated by water.

IMPROVED COVERAGE

Five times the number of bait particles compared to regular-size pellets.

DIRECTIONS FOR USE

APPLICATION DIRECTIONS: Apply as a soil surface treatment. Use a band treatment between the rows after formation of edible parts. Do not contaminate edible portions of the plant. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. May be applied to the following crops to protect from slugs and snails.

VEGETABLES: cabbage, lettuce, crop subgroup 8-09A (Tomatoes): Apply 14.0 - 27.5 kg per hectare.

Crop subgroup 13-07A (Caneberries): Apply 11.2 - 22.5 kg per hectare.

Crop subgroup 13-07G (Low growing berries): Apply 11.2 - 27.5 kg per hectare.

ORNAMENTALS: Ornamental greenhouses, ornamental planting: Normally apply 14.0 - 27.5 kg per hectare. Repeat treatment as necessary to maintain control.

Experience has shown most plants to be tolerant to Deadline M-Ps. However, on extremely tender plants, such as orchids, it is suggested the user of this product do a small test to determine any plant sensitivity before making an application over the plants.

For best results, apply in evening. Especially beneficial if applied following rain or watering.

Minimum Application Interval and Maximum Number of Applications per Year

| Use Site | Maximum Number of Applications per Year | Minimum Application Interval (Day) |
|--|---|------------------------------------|
| Cabbage, Lettuce, Ginseng, CSG8-09A ¹ , CSG13-07A ² , CSG13- | 3 | 14 |
| Ornamentals | 6 | 21 |

¹ Includes currant tomatoes, garden huckleberries, goji

berries, groundcherries, sunberries, tomatillos, and tomatoes

² Includes blackberries, loganberries, raspberries, and wild raspberries and cultivars, varieties and/or hybrids of these

³ Includes bearberries, bilberries, lowbush blueberries, cloudberry, cranberries, lingonberries, muntries, partridgeberries, and strawberries

THIS PRODUCT MUST NOT BE APPLIED DIRECTLY TO FOOD CROPS. DO NOT APPLY BY AIR. DO NOT APPLY BY GROUND APPLICATION METHODS WHICH RESULT IN DIRECT CONTACT OF PRODUCT WITH THE FOLIAGE OR EDIBLE PORTIONS OF FOOD CROPS. FOOD CROPS MAY NOT BE HARVESTED WITHIN 6 DAYS OF TREATMENT. Observe a 6 day Pre harvest interval (PHI). Cabbage may not be harvested within 21 days of treatment. Observe a 21 day PHI at minimum.

Note to User:

READ THE FOLLOWING BEFORE USING THIS PRODUCT FOR GINSENG APPLICATIONS:

The DIRECTIONS FOR USE for this product for use in ginseng was developed by persons other than AMVAC Chemical Corporation (AMVAC) and accepted for registration by Health Canada under the User Requested Minor Use Label Expansion program (URMUR). AMVAC itself makes no representation or warranty with respect to performance (efficacy) or crop tolerance (phytotoxicity) claims for this product when used on ginseng. Accordingly, the Buyer and User assume all risks related to performance and crop tolerance arising, and agree to hold AMVAC harmless from any claims based on efficacy or phytotoxicity in ginseng.

Ginseng: Apply 11.2 - 27.5 kg per hectare. Ginseng may not be harvested within 21 days of treatment. Observe a 21 day PHI at minimum.

Please see "Minimum Application Interval and Maximum Number of Applications per Year" table for further information

PRECAUTIONS

KEEP OUT OF REACH OF CHILDREN. Harmful if swallowed. Avoid breathing dust. May cause eye irritation. Avoid contact

with skin, eyes or clothing. Wear long sleeved shirt, long pants, shoes, socks and chemical-resistant gloves when handling and applying product. Follow manufacturer's instructions for cleaning and maintaining personal protective equipment (PPE). If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry. Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Users should remove clothing immediately if pesticide gets inside, then wash thoroughly and put on clean clothing.

This product can be harmful to children and fatal to domestic animals when ingested. Children and dogs may be attracted to the product. Application of this product is prohibited unless children and domestic animals can be excluded from the treated area from the start of the application until applied material is no longer visible.

DO NOT enter or allow worker entry into treated areas for 12 hours following application.

ENVIRONMENTAL PRECAUTIONS

Toxic to aquatic organisms

Toxic to birds

Toxic to small wild mammals

To reduce runoff from treated areas into aquatic habitats, avoid application to areas with a moderate to steep slope, compacted soil, or clay.

Avoid application when heavy rain is forecast.

Contamination of aquatic areas as a result of runoff may be reduced by including a vegetative strip between the treated area and the edge of the water body.

CLEAN UP OR BURY ANY SPILLED PRODUCT.

STORAGE: Do not contaminate water, food or feed by storage or disposal. Use product only from original container & keep in locked storage area away from children & pets. Keep container tightly closed when not in use. Do not store near food or feed. This product can be harmful to children and fatal to dogs and other domestic animals if ingested. Dogs have been known to ingest Metaldehyde after opening or

tearing packaging. Store this product in its original packaging, in a cool and secure location, and out of reach of children and pets.

DISPOSAL

Thoroughly empty the contents of the bag into the application device. Do not reuse the empty bag, and make it unsuitable for further use. Dispose of the bag in accordance with provincial requirements. For information, on the disposal of unused, unwanted product and the cleanup of spills, contact the provincial regulatory agency or the manufacturer.

FIRST AID

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

If swallowed: Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice.

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

Seek medical attention as soon as possible after exposure. For incidents involving animals, seek veterinary care as soon as possible after exposure. Have the product container or label with you when you call a poison control centre or doctor or veterinarian, or when going for treatment.

Metaldehyde is a systemic toxin. There is no antidote. The

following instructions are not intended for lay people. There is no home treatment. Exposed individuals and animals should receive emergency care as quickly as possible.

TOXICOLOGICAL INFORMATION:

Treat symptomatically.

HUMANS: Dust inhalation is usual route of accidental exposure; the product is rarely ingested except by children. Treatment is symptomatic and supportive. Monitor severe exposures closely: seizures, electrolyte imbalances, acidosis dehydration, and increased body temperature have been reported.

PETS: Animals typically are exposed via ingestion. Treatment is symptomatic and supportive. If significant ingestion suspected, and the animal is asymptomatic, consider induction of emesis or gastric lavage and administration of activated charcoal, cathartic and enema to limit absorption. Monitor asymptomatic and symptomatic animals closely. Treat seizures, electrolyte imbalances, acidosis, dehydration, and increased body temperature. Monitor liver function post recovery.

NOTICE TO USER:

This pest control product is to be used only in accordance with the directions on this label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label.

AMVAC, DEADLINE M-Ps, and One Last Meal for Slug and Snails are trademarks owned by AMVAC Chemical Corporation.