

SECTION 1: Identification

1.1. Identification

Product form : Mixture
 Product name : EVEREST® 3.0 AG HERBICIDE
 Other means of identification : PMRA# 33258

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use : Herbicide
 Restrictions on use : Agriculture, For professional users only

1.3. Details of the supplier of the safety data sheet

Arysta LifeScience Canada, Inc.
 400 Michener Road, Unit 2
 Guelph, Ontario N1K 1E4 - Canada
 T 1-866-761-9397
sds@arysta.com

1.4. Emergency telephone number

Emergency number : Exposure calls (PROPHARMA): 1-866-303-6952 or +1-651-603-3432 (international)
 Spill calls (CHEMTREC) (Contract # CCN1779): +1-800-424-9300 or +1-703-527-3887 (international)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GHS classification

Eye Dam. 1 H318
 Skin Sens. 1 H317
 Carc. 2 H351
 Aquatic Chronic 2 H411

Full text of hazard classes and H-statements : see section 16

2.2. Label elements

GHS labelling

Hazard pictograms (GHS) :



Signal word (GHS) :

Danger

Hazard statements (GHS) :

H317 - May cause an allergic skin reaction.
 H318 - Causes serious eye damage.
 H351 - Suspected of causing cancer.
 H411 - Toxic to aquatic life with long lasting effects.

Precautionary statements (GHS) :

P201 - Obtain special instructions before use.
 P202 - Do not handle until all safety precautions have been read and understood.
 P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.
 P272 - Contaminated work clothing must not be allowed out of the workplace
 P273 - Avoid release to the environment.
 P280 - Wear protective gloves/protective clothing/eye protection/face protection.
 P302+P352 - If on skin: Wash with plenty of water/...
 P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P308+P313 - If exposed or concerned: Get medical advice/attention.
 P310 - Immediately call a poison center/doctor/...
 P321 - Specific treatment (see supplemental first aid instruction on this label)
 P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.
 P363 - Wash contaminated clothing before reuse.
 P391 - Collect spillage.

EVEREST® 3.0 AG HERBICIDE

Safety Data Sheet

Canada HPR

P405 - Store locked up.
P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS)

Not applicable.

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	% (w/w)	GHS classification
Flucarbazone sodium (Active)	(CAS-No.) 181274-17-9	19.09	Not classified
Surface Active Agent	(CAS-No.) trade secret	3 - 7	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318
Surfactant 1	(CAS-No.) trade secret	3 - 7	Acute Tox. 4 (Dermal), H312 Skin Irrit. 2, H315 Eye Dam. 1, H318
Safener (Active)	(CAS-No.) trade secret	3.82	Acute Tox. 3 (Inhalation), H331 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Surfactant 2	(CAS-No.) trade secret	1 - 3	Aquatic Chronic 3, H412
Heavy Aromatic Naphtha Solvent	(CAS-No.) 64742-94-5	1 - 3	Flam. Liq. 4, H227 Asp. Tox. 1, H304
Hexyl alcohol	(CAS-No.) 111-27-3	0.5 - 1.5	Acute Tox. 4 (Oral), H302
Polymer/emulsifier	(CAS-No.) trade secret	0.5 - 1.5	Skin Irrit. 2, H315 Eye Irrit. 2A, H319
Naphthalene	(CAS-No.) 91-20-3	0.1 - 0.5	Acute Tox. 4 (Oral), H302 Carc. 2, H351 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

*Chemical name, CAS number and/or exact concentration have been withheld as a trade secret

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: If inhaled and if breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.
First-aid measures after skin contact	: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. Wash skin thoroughly with mild soap and water. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. May result in aspiration into the lungs. Get medical advice/attention if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation	: Inhalation of vapours may cause respiratory irritation.
Symptoms/effects after skin contact	: May cause an allergic skin reaction. May cause slight irritation.
Symptoms/effects after eye contact	: Causes serious eye damage.
Symptoms/effects after ingestion	: Abdominal pain, nausea.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Foam. Dry powder. Carbon dioxide. Water spray. Sand.
Unsuitable extinguishing media	: Do not use a heavy water stream.

EVEREST® 3.0 AG HERBICIDE

Safety Data Sheet

Canada HPR

5.2. Special hazards arising from the substance or mixture

- Fire hazard : Burning produces irritating, toxic and noxious fumes.
Reactivity : Reacts with (strong) oxidizers.

5.3. Advice for firefighters

- Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.
Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection. Wear a self contained breathing apparatus. Wear fire/flame resistant/retardant clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

- General measures : Do not breathe aerosol. Do not breathe vapour. Do not get in eyes, on skin, or on clothing. Ensure adequate ventilation. Notify authorities if product enters sewers or public waters. Use personal protective equipment as required.

6.1.1. For non-emergency personnel

- Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

- Protective equipment : Equip cleanup crew with proper protection.
Emergency procedures : Ventilate area.

6.2. Environmental precautions

- Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters. Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

- For containment : Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.
Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

6.4. Reference to other sections

- See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Do not breathe aerosol. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe vapours. Do not get in eyes, on skin, or on clothing.
Hygiene measures : Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product.

7.2. Conditions for safe storage, including any incompatibilities

- Storage conditions : Keep only in the original container in a cool well ventilated place.
Incompatible products : Strong bases. Strong acids. Strong oxidizers.
Incompatible materials : Sources of ignition. Direct sunlight.

7.3. Specific end use(s)

- No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

EVEREST® 3.0 AG HERBICIDE	
ACGIH	Not applicable
OSHA	Not applicable
Flucarbazone sodium (181274-17-9)	
ACGIH	Not applicable
OSHA	Not applicable

EVEREST® 3.0 AG HERBICIDE

Safety Data Sheet

Canada HPR

Safener (trade secret)		
ACGIH	Not applicable	
OSHA	Not applicable	
Polymer/emulsifier (trade secret)		
ACGIH	Not applicable	
OSHA	Not applicable	
Surface Active Agent (trade secret)		
ACGIH	Not applicable	
OSHA	Not applicable	
Surfactant 1 (trade secret)		
ACGIH	Not applicable	
OSHA	Not applicable	
Heavy Aromatic Naphtha Solvent (64742-94-5)		
ACGIH	ACGIH STEL (mg/m ³)	10 mg/m ³
OSHA	OSHA PEL (TWA) (mg/m ³)	5 mg/m ³
Hexyl alcohol (111-27-3)		
ACGIH	Not applicable	
OSHA	Not applicable	
Naphthalene (91-20-3)		
ACGIH	ACGIH TWA (mg/m ³)	52 mg/m ³
ACGIH	ACGIH TWA (ppm)	10 ppm
ACGIH	ACGIH STEL (mg/m ³)	79 mg/m ³
ACGIH	ACGIH STEL (ppm)	15 ppm
ACGIH	Remark (ACGIH)	Hematologic eff; URT & eye irr; Skin; A3 (Confirmed Animal Carcinogen with Unknown Relevance to Humans: The agent is carcinogenic in experimental animals at a relatively high dose, by route(s) of administration, at site(s), of histologic type(s), or by mechanism(s) that may not be relevant to worker exposure. Available epidemiologic studies do not confirm an increased risk of cancer in exposed humans. Available evidence does not suggest that the agent is likely to cause cancer in humans except under uncommon or unlikely routes or levels of exposure)
OSHA	OSHA PEL (TWA) (mg/m ³)	50 mg/m ³
OSHA	OSHA PEL (TWA) (ppm)	10 ppm
Surfactant 2 (trade secret)		
ACGIH	Not applicable	
OSHA	Not applicable	

8.2. Appropriate engineering controls

- Appropriate engineering controls : Avoid splashing. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Use only outdoors or in a well-ventilated area.
- Environmental exposure controls : Prevent leakage or spillage. Prevent contaminated water run-off.

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Hand protection:

EVEREST® 3.0 AG HERBICIDE

Safety Data Sheet

Canada HPR

Wear suitable gloves resistant to chemical penetration. Butyl rubber. Natural rubber. neoprene. Nitrile rubber. (>= 14 mils)

Eye protection:

tightly fitting safety goggles. If there is a risk of liquid being splashed : Face shield

Skin and body protection:

Long sleeved protective clothing

Respiratory protection:

In case of inadequate ventilation wear respiratory protection. Appropriate dust or mist respirator should be used if airborne particles are generated when handling this material. Approved organic vapour respirator

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Gray
Odour	: characteristic
Odour threshold	: No data available
pH	: 5.5 - 7.5 (1%)
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Flammability (solid, gas)	: No data available
Explosive limits	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Vapour pressure	: No data available
Relative density	: No data available
Relative vapour density at 20 °C	: No data available
Density	: 9.18 lb/gal @ 25 °C
Solubility	: No data available
Log Pow	: No data available
Log Kow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: 600 - 1200 cP @ 25 °C

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Reacts with (strong) oxidizers.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

EVEREST® 3.0 AG HERBICIDE

Safety Data Sheet

Canada HPR

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases. Strong oxidizers.

10.6. Hazardous decomposition products

Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Likely routes of exposure	: Inhalation. Skin and eye contact.
Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

EVEREST® 3.0 AG HERBICIDE	
LD50 oral rat	> 5000 mg/kg
LD50 dermal rat	> 5000 mg/kg
LC50 inhalation rat (mg/l)	> 2.06 mg/l/4h

Flucarbazone sodium (181274-17-9)	
LD50 oral rat	> 5000 mg/kg
LD50 dermal rat	> 5000 mg/kg
LC50 inhalation rat (mg/l)	> 5.13 mg/l/4h

Safener (trade secret)	
LD50 oral rat	> 2000 mg/kg
LD50 dermal rabbit	> 2000 mg/kg
LC50 inhalation rat (mg/l)	> 0.935 mg/l/4h
ATE US (gases)	700 ppmv/4h
ATE US (vapours)	3 mg/l/4h
ATE US (dust,mist)	0.5 mg/l/4h

Surface Active Agent (trade secret)	
LD50 oral rat	501 - 1000 mg/kg
LD50 dermal rat	> 2000 mg/kg female
ATE US (oral)	501 mg/kg bodyweight

Surfactant 1 (trade secret)	
LD50 oral rat	> 2000 mg/kg bw/day
LD50 dermal rat	1000 - 1600 mg/kg
ATE US (dermal)	1000 mg/kg bodyweight

Heavy Aromatic Naphtha Solvent (64742-94-5)	
LD50 oral rat	> 5000 mg/kg
LD50 dermal rabbit	> 2000 mg/kg
LC50 inhalation rat (mg/l)	> 5.28 mg/l/4h

Hexyl alcohol (111-27-3)	
LD50 oral rat	3210 mg/kg bodyweight
LD50 dermal rat	1500 - 2000 mg/kg bodyweight
LC50 inhalation rat (mg/l)	> 21 mg/l/4h
ATE US (oral)	500 mg/kg bodyweight
ATE US (dermal)	1500 mg/kg bodyweight

Naphthalene (91-20-3)	
LD50 oral rat	490 mg/kg
LD50 dermal rabbit	20 g/kg
LC50 inhalation rat (mg/l)	> 340 mg/m ³ 1 hour
ATE US (oral)	490 mg/kg bodyweight
ATE US (dermal)	20000 mg/kg bodyweight

EVEREST® 3.0 AG HERBICIDE

Safety Data Sheet

Canada HPR

Surfactant 2 (trade secret)	
LD50 oral rat	> 6400 mg/kg
Skin corrosion/irritation	: Not classified (Slightly irritant but not relevant for classification)
Serious eye damage/irritation	: Causes serious eye damage. Possible risk of irreversible effects.
Respiratory or skin sensitisation	: May cause an allergic skin reaction. OECD Guidelines Number 429: Skin Sensitization: Local Lymph Node Assay Positive
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Suspected of causing cancer.

Hexyl alcohol (111-27-3)	
NOAEL (chronic, oral, animal/male, 2 years)	1127 mg/kg bodyweight

Naphthalene (91-20-3)	
IARC group	2B - Possibly carcinogenic to humans
National Toxicology Program (NTP) Status	Reasonably anticipated to be Human Carcinogen

Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified
Viscosity, kinematic	: No data available
Symptoms/effects after inhalation	: Inhalation of vapours may cause respiratory irritation.
Symptoms/effects after skin contact	: May cause an allergic skin reaction. May cause slight irritation.
Symptoms/effects after eye contact	: Causes serious eye damage.
Symptoms/effects after ingestion	: Abdominal pain, nausea.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - water : Toxic to aquatic life with long lasting effects.

Flucarbazon sodium (181274-17-9)	
LC50 fish 1	> 96.7 mg/l 96 h oncorhynchus mykiss
LC50 other aquatic organisms 1	6.4 mg/l 96 h green algae
EC50 Daphnia 1	38.8 mg/l 48 h
LC50 fish 2	> 99.3 mg/l 96 h bluehill

Safener (trade secret)	
LC50 fish 1	> 0.97 ppm 96 h Rainbow trout
EC50 Daphnia 1	> 0.82 ppm 48 h
NOEC (acute)	3.74 mg/l

Surface Active Agent (trade secret)	
LC50 fish 1	1.1 mg/l 96 h
EC50 Daphnia 1	7.07 mg/l 48 h
EC50 other aquatic organisms 1	>= 10 mg/l 72 h
LC50 fish 2	1 - 10 mg/l 96 h

Surfactant 1 (trade secret)	
LC50 fish 1	100 mg/l

Hexyl alcohol (111-27-3)	
LC50 fish 1	97.5 mg/l
EC50 other aquatic organisms 1	201 mg/l

Naphthalene (91-20-3)	
LC50 fish 1	> 0.91 (0.91 - 2.82) mg/l Oncornhynchus mykiss
EC50 Daphnia 1	>= 1.96 mg/l
EC50 other aquatic organisms 1	33 mg/l

EVEREST® 3.0 AG HERBICIDE

Safety Data Sheet

Canada HPR

Naphthalene (91-20-3)	
LC50 fish 2	> 1 (1 - 6.5) mg/l Pimpephales promelas
LOEC (acute)	3.2 mg/l
NOEC (acute)	1.8 mg/l

Surfactant 2 (trade secret)	
LC50 fish 1	7.8 mg/l 96 h
EC50 Daphnia 1	16 mg/l 48 h
EC50 other aquatic organisms 1	> 44 mg/l 72 h algae

12.2. Persistence and degradability

EVEREST® 3.0 AG HERBICIDE	
Persistence and degradability	May cause long-term adverse effects in the environment.

Safener (trade secret)	
Persistence and degradability	Not readily biodegradable.

Surfactant 1 (trade secret)	
Persistence and degradability	Not readily biodegradable.
Biodegradation	2.9 % 28 days

Heavy Aromatic Naphtha Solvent (64742-94-5)	
Persistence and degradability	Not rapidly degradable.
Biodegradation	39 %

Hexyl alcohol (111-27-3)	
Biodegradation	55 % 5 days

Surfactant 2 (trade secret)	
Persistence and degradability	Readily biodegradable.

12.3. Bioaccumulative potential

EVEREST® 3.0 AG HERBICIDE	
Bioaccumulative potential	Not established.

Flucarbazone sodium (181274-17-9)	
Bioconcentration factor (BCF REACH)	3 (estimated)

Safener (trade secret)	
Bioconcentration factor (BCF REACH)	877

Surfactant 1 (trade secret)	
Log Pow	4.595
Bioaccumulative potential	This product is not bioaccumulating.

Naphthalene (91-20-3)	
BCF fish 1	>= 427 (427 - 1158)

12.4. Mobility in soil

Flucarbazone sodium (181274-17-9)	
Mobility in soil	mobile in soil; Koc = 36 (estimated)

Heavy Aromatic Naphtha Solvent (64742-94-5)	
Mobility in soil	Migrates to soil.

12.5. Other adverse effects

Other information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

- Sewage disposal recommendations : Do not dispose of waste into sewer.
- Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.
- Ecology - waste materials : Avoid release to the environment.

EVEREST® 3.0 AG HERBICIDE

Safety Data Sheet

Canada HPR


SECTION 14: Transport information

Transportation of Dangerous Goods

Transport document description	: UN3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Cloquintocet-mexyl), 9, III
UN-No. (TDG)	: UN3082
Proper Shipping Name (Transportation of Dangerous Goods)	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
TDG Primary Hazard Classes	: 9 - Class 9 - Miscellaneous Products, Substances or Organisms
Packing group	: III - Minor Danger
TDG Special Provisions	: Small means of containment (< = 450 L) Not Regulated; Large means of containment (> 450 L) Regulated as stated

Transport by sea

IMDG

Transport hazard class(es) (IMDG)	: 9
	: 
Marine pollutant	: Yes
UN-No. (IMDG)	: 3082
Transport document description (IMDG)	: UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Safener), 9, III, MARINE POLLUTANT
Class (IMDG)	: 9 - Miscellaneous dangerous substances and articles
Packing group (IMDG)	: III - substances presenting low danger
EmS-No. (Fire)	: F-A
EmS-No. (Spillage)	: S-F

Air transport

IATA

Transport hazard class(es) (IATA)	: 9
	: 
Marine pollutant	: Yes
UN-No. (IATA)	: 3082
Transport document description (IATA)	: UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Safener), 9, III
Class (IATA)	: 9 - Miscellaneous Dangerous Goods
Packing group (IATA)	: III - Minor Danger

SECTION 15: Regulatory information

CANADA

Flucarbazone sodium (181274-17-9)

Not listed on the Canadian DSL (Domestic Substances List) inventory.

Safener (trade secret)

Not listed on the Canadian DSL (Domestic Substances List) inventory.

Polymer/emulsifier (trade secret)

Listed on the Canadian DSL (Domestic Substances List) inventory.

Surface Active Agent (trade secret)

Listed on the Canadian DSL (Domestic Substances List) inventory.

Surfactant 1 (trade secret)

Listed on the Canadian DSL (Domestic Substances List) inventory.

EVEREST® 3.0 AG HERBICIDE

Safety Data Sheet

Canada HPR

Heavy Aromatic Naphtha Solvent (64742-94-5)

Listed on the Canadian DSL (Domestic Substances List) inventory.

Hexyl alcohol (111-27-3)

Listed on the Canadian DSL (Domestic Substances List) inventory.

Naphthalene (91-20-3)

Listed on the Canadian DSL (Domestic Substances List) inventory.

Surfactant 2 (trade secret)

Listed on the Canadian DSL (Domestic Substances List) inventory.

SECTION 16: Other information

Data sources : European Chemicals Agency (ECHA) Registered Substances list. Accessed at <http://echa.europa.eu/>. Krister Forsberg and S.Z. Mansdorf, "Quick Selection Guide to Chemical Protective Clothing", Fifth Edition. National Fire Protection Association. Fire Protection Guide to Hazardous Materials; 10th edition. OSHA 29CFR 1910.1200 Hazard Communication Standard. REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006. TSCA Chemical Substance Inventory. Accessed at <http://www.epa.gov/oppt/existingchemicals/pubs/tscainventory/howto.html>.

Other information : None.

Full text of H-statements:

Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3
Asp. Tox. 1	Aspiration hazard, Category 1
Carc. 2	Carcinogenicity, Category 2
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2A	Serious eye damage/eye irritation, Category 2A
Flam. Liq. 4	Flammable liquids, Category 4
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
H227	Combustible liquid
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H351	Suspected of causing cancer.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Abbreviations and acronyms:

EVEREST® 3.0 AG HERBICIDE

Safety Data Sheet

Canada HPR

	ACGIH (American Conference of Government Industrial Hygienists)
	ATE: Acute Toxicity Estimate
	CAS (Chemical Abstracts Service) number
	CLP: Classification, Labelling, Packaging.
	EC50: Environmental Concentration associated with a response by 50% of the test population.
	GHS: Globally Harmonized System (of Classification and Labeling of Chemicals).
	LD50: Lethal Dose for 50% of the test population
	OSHA: Occupational Safety & Health Administration
	TSCA: Toxic Substances Control Act

SDS Prepared by:

The Redstone Group, LLC.
6077 Frantz Rd
Suite 206
Dublin, Ohio, USA 43016
614.923.7472
www.redstonegrp.com

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product