

FOR CHEMICAL EMERGENCY, SPILL, LEAK, FIRE, EXPOSURE OR ACCIDENT, CALL DAY OR NIGHT 1-800-561-8273 or CHEMTREC – DAY OR NIGHT 1 800-424-9300

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

1.1 PRODUCT IDENTIFIER:

TRADE NAME: CHOICE WEATHER MASTER®

1.2 RECOMMENDED USE: WATER CONDITIONING AGENT

1.3 MANUFACTURED FOR AND DISTRIBUTED BY:

LOVELAND PRODUCTS CANADA, INC.
789 DONNYBROOK DRIVE • DORCHESTER, ONTARIO N0L 1G5

1.4 24 Hour Emergency Phone: (Chemtrec): 1-800-424-9300 (Toll Free) - Additional Emergency Phone 1-800-561-8273

Loveland Technical Service: 1-800-328-4678

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Acute Toxicity - Oral	Category 4	H302
Acute Toxicity – Dermal	Category 4	H312
Eye Damage/Irritation	Category 2B	H320
Acute Toxicity – Inhalation	Category 4	H332

2.2 Label elements



Hazard Statements: WARNING
H302 – Harmful if swallowed.
H312 – Harmful if inhaled.
H320 – Causes eye irritation.
H332 – Harmful in contact with skin.

Precautionary Statements: (Prevention):
P264 – Wash hands thoroughly after handling.
P270 – Do not eat, drink or smoke when using this product.
P280 – Wear protective gloves/protective clothing.
P261 – Avoid breathing dust/fume/gas/mist/vapours/spray.
P271 – Use only outdoors or in a well-ventilated area.

Precautionary Statement: (Response):
P301+P312 – IF SWALLOWED: Call a poison centre/doctor/physician if you feel unwell.
P330 – Rinse mouth.
P304+P340 – IF INHALED: Remove person to fresh air and keep at rest in a position comfortable for breathing.
P312 – Call a poison centre or doctor/physician if you feel unwell.
P305+P351+P338 – IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313 – If eye irritation persists: Get medical advice/attention.
P302+P352 – IF ON SKIN: Wash with plenty of soap and water.
P312 – Call a poison centre/doctor/physician if you feel unwell.
P321 – Specific treatment (see First Aid on the product label).
P362 – Take off contaminated clothing and wash it before reuse.



SAFETY DATA SHEET

CHOICE WEATHER MASTER®

SDS NUMBER: 1000565960-19-LPI

SDS REVISIONS: FORMAT

DATE OF ISSUE: 05/23/19

SUPERSEDES: 09/14/15

Precautionary Statement: (Storage): Not applicable.

Precautionary Statement: (Disposal): P501 – Dispose of contents in container at an approved waste disposal facility in accordance with all local/state/national regulations.

2.3 Other hazards

None known

3. COMPOSITION, INFORMATION ON INGREDIENTS

3.1 Substances

3.2 Mixtures

Chemical Name:	CAS No.	Concentration [%]
Nonylphenol ethoxylate phosphate	51811-79-1	10 – 30%
Diethylene glycol	111-46-6	7 – 13%
Ammonium Sulfate	7783-20-2	3 – 7 %

Ingredients not listed are proprietary or non-hazardous

4. FIRST AID MEASURES

4.1 Description of First Aid Measures

General Advice: Get medical attention if symptoms occur.

- If on skin or clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice.
- If in eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.
- If swallowed:** Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.
- If inhaled:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferable by mouth-to-mouth, if possible.

4.2 Most Important Symptoms and Effects, Acute and Delayed

Symptoms: Harmful if swallowed. Harmful if inhaled. Harmful if absorbed through skin. Causes eye irritation.

4.3 Immediate Medical Attention and Special Treatment

Treatment: Treat symptomatically. Symptoms may be delayed.

FOR A MEDICAL EMERGENCY INVOLVING THIS PRODUCT CALL: 1-800-561-8273

Take container, label or product name with you when seeking medical attention.

NOTES TO PHYSICIAN: No specific antidote. Treatment of exposure should be directed at the control of symptoms and the clinical condition of the patient.



SAFETY DATA SHEET

CHOICE WEATHER MASTER®

SDS NUMBER: 1000565960-19-LPI

SDS REVISIONS: FORMAT

DATE OF ISSUE: 05/23/19

SUPERSEDES: 09/14/15

5. FIRE FIGHTING MEASURES

5.1 EXTINGUISHING MEDIA:

Suitable Extinguishing Media: Use water fog, alcohol foam, dry chemical, or carbon dioxide extinguishing media.

5.2 SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE:

Specific Hazards During Firefighting: Formation of toxic gases is possible in case of fire.

5.3 SPECIAL PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIREFIGHTERS

Special Protective Equipment for Firefighters: Self-contained breathing apparatus and full protective gear should be worn in fighting large fires involving chemicals. Use alcohol-type or universal-type foam on larger fires. Use water spray to keep fire exposed containers cool. Keep people away. Isolate fire and deny unnecessary entry.

6. ACCIDENTAL RELEASE MEASURES

6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

Personal Precautions: Avoid inhalation of vapours, fumes, and spray mist and prolonged or repeated contact with skin and eyes. Ensure adequate ventilation. Wear suitable protective clothing.

6.2 ENVIRONMENTAL PRECAUTIONS

Environmental Precautions: Prevent further leakage or spillage if safe to do so. Do not contaminate water. Do not allow to enter drains, sewers, or watercourses.

6.3 METHODS AND MATERIALS FOR CONTAINMENT AND CLEAN-UP

Methods for Clean-Up: Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. After removal flush contaminated area thoroughly with water.
Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to Remove residual contamination.
Never return spills to original containers for re-use.

7. HANDLING AND STORAGE

7.1 PRECAUTIONS FOR SAFE HANDLING:

Advice on Safe Handling: Avoid inhalation of vapours / spray mist or fumes and contact with eyes, skin and clothing. Do not breathe mist or vapour. Wear personal protective equipment. Do not use in areas without adequate ventilation. Avoid prolonged exposure. Wash thoroughly after handling. Do not empty into drains. Handle and open container with care. Use care in handling/storage. Wash before eating, drinking and/or smoking. Eye wash and safety shower on site are recommended.

7.2 CONDITIONS FOR SAFE STORAGE:

Requirements for Storage Areas and Containers: Store in original container. Keep tightly closed. Do not reuse empty container. Do not contaminate water, food or feed by storage or disposal.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 CONTROL PARAMETERS:

OCCUPATIONAL EXPOSURE LIMITS

ACGIH TLVs TWA

Components	Type	Value
No listings	TWA	

OSHA PELs TWA

No listings	TWA
-------------	-----

Biological limit values

ACGIH Biological Exposure Indices

Components	Value	Specimen
No data		



SAFETY DATA SHEET

CHOICE WEATHER MASTER®

SDS NUMBER: 1000565960-19-LPI

SDS REVISIONS: FORMAT

DATE OF ISSUE: 05/23/19

SUPERSEDES: 09/14/15

8.2 EXPOSURE CONTROLS:

Engineering Measures

Provide adequate general and local exhaust ventilation. Observe Occupational Exposure Limits and minimize the risk of inhalation of vapors and spray mists. Provide eyewash station and safety shower.

Individual Protection Measures:

Eye / Face Protection: Chemical goggles or face shield are recommended.

Skin Protection: Wear protective clothing. Wear protective gloves.

Respiratory Protection: In case of inadequate ventilation or risk of inhalation of vapors, use suitable respiratory equipment. Wear respiratory protection during operations where spraying or misting occurs. Wear air supplied respiratory protection. In the U.S.A., if respirators are used, a program should be in place to assure compliance with 29 CFR 1910.134, the OSHA Respiratory Protection standard. Wear air supplied respiratory protection if exposure concentrations are unknown.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 APPEARANCE:	Liquid
ODOUR:	Slight.
ODOUR THRESHOLD:	Not determined.
COLOUR:	Colorless to slight yellow.
pH:	7 – 9.5 (10% solution)
MELTING POINT / FREEZING POINT:	No data available
BOILING POINT:	> 100 °C
FLASH POINT:	> 93 °C (Tag Closed Cup).
FLAMMABILITY (solid, gas):	No data available
UPPER / LOWER FLAMMABILITY OR EXPLOSIVE LIMITS:	No data available
VAPOUR PRESSURE:	No data available
SOLUBILITY:	No data available
PARTITION CO-EFFICIENT, n-OCTANOL / WATER:	No data available
AUTO-IGNITION TEMPERATURE:	No data available.
DECOMPOSITION TEMPERATURE:	No data available
VISCOSITY (Dynamic):	4800 cP @ 25 °C
SPECIFIC GRAVITY (Water = 1):	1.18 g/ml
DENSITY:	1.18 kg/L

Note: These physical data are typical values based on material tested but may vary from sample to sample.
Typical values should not be construed as a guaranteed analysis of any specific lot or as specification items.

10. STABILITY AND REACTIVITY

10.1 REACTIVITY

Stable

10.2 CHEMICAL STABILITY

Stable under normal temperature conditions

10.3 POSSIBILITY OF HAZARDOUS REACTIONS

Thermal decomposition by burning produces oxides of carbon. Will not polymerize.

10.4 CONDITIONS TO AVOID

Strong oxidizers, strong bases, and strong acids. Keep away from heat, open flame and other sources of ignition.

10.5 INCOMPATIBLE MATERIALS

No data available.

10.6 HAZARDOUS DECOMPOSITION PRODUCTS

May release oxides of carbon in a fire situation.



SAFETY DATA SHEET

CHOICE WEATHER MASTER®

SDS NUMBER: 1000565960-19-LPI

SDS REVISIONS: FORMAT

DATE OF ISSUE: 05/23/19

SUPERSEDES: 09/14/15

11. TOXICOLOGICAL INFORMATION

11.1 LIKELY ROUTES OF EXPOSURE

Eye contact, skin contact, inhalation.

LC₅₀ (rat): > 2.13 mg/L (4HR).

LD₅₀ Oral (rat): > 5,000 mg/kg

LD₅₀ Dermal (rabbit): > 1,000 mg/kg

Skin Irritation (rabbit): Moderate skin irritation.

Eye Irritation (rabbit): Causes eye irritation.

Specific Target Organ Toxicity: No data available

Aspiration: No data available

Skin Sensitization (guinea pig): Sensitizer.

Carcinogenicity: No data available

Germ Cell Mutagenicity: No data available

Interactive Effects: None known

12. ECOLOGICAL INFORMATION

12.1 ECOTOXICITY

Ecotoxicological Data

Components	Species	Test Results
No data available		

Drift or runoff may adversely affect non-target plants.

Do not apply directly to water.

Do not contaminate water when disposing of equipment wash water.

Do not apply when weather conditions favor drift from target area.

12.2 PERSISTENCE AND DEGRADABILITY

Biodegradability: No data available

12.3 BIOACCUMULATIVE POTENTIAL

Bioaccumulation: No data available

12.4 MOBILITY IN SOIL

No data available

12.5 OTHER ADVERSE EFFECTS

Assessment: No data available.

13. DISPOSAL CONSIDERATIONS

13.1 WASTE TREATMENT METHODS

Container is recyclable, and is to be disposed of at a container collection site. Contact your local dealer/distributor for the location of the nearest collection site. Before taking container to the collection site: Triple or pressure-rinse the empty container, adding the rinsate to the spray tank. Make the empty container unsuitable for further use. If there is no container collection site in your area, dispose of the container in accordance with provincial requirements. For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Do not contaminate water, food, or feed by storage or disposal.

14. TRANSPORT INFORMATION

14.1 LAND TRANSPORT

TDG/DOT Shipping Description: NOT REGULATED

U.S. Surface Freight Classification: ADHESIVES, ADJUVANTS, SPREADERS OR STICKERS (NMFC 4610; CLASS: 60)



SAFETY DATA SHEET

CHOICE WEATHER MASTER®

SDS NUMBER: 1000565960-19-LPI

SDS REVISIONS: FORMAT

DATE OF ISSUE: 05/23/19

SUPERSEDES: 09/14/15

15. REGULATORY INFORMATION

15.1 SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS

NFPA & HMIS Hazard Ratings:

NFPA		HMIS	
1	Health	0	Least
1	Flammability	1	Slight
0	Instability	2	Moderate
		3	High
		4	Severe
		1	Health
		1	Flammability
		0	Reactivity
		B	PPE

SARA Hazard Notification/Reporting

SARA Title III Hazard Category:	Immediate	<u>Y</u>	Fire	<u>N</u>	Sudden Release of Pressure	<u>N</u>
	Delayed	<u>N</u>	Reactive	<u>N</u>		

Reportable Quantity (RQ) under U.S. CERCLA: Not listed.
 SARA, Title III, Section 313: Not listed
 RCRA Waste Code: Not listed
 CA Proposition 65: Not applicable

16. OTHER INFORMATION

SDS STATUS: Format revised

PREPARED BY: Product Stewardship and Regulatory Affairs

REVIEWED BY: Safety, Health and Environment

®Choice Weather Master is a registered trademark of Loveland Products Inc.

Disclaimer and Limitation of Liability: This data sheet was developed from information on the constituent materials identified herein and does not relate to the use of such materials in combination with any other material or process. No warranty is expressed or implied with respect to the completeness or ongoing accuracy of the information contained in this data sheet, and LOVELAND PRODUCTS CANADA, INC. disclaims all liability for reliance on such information. This data sheet is not a guarantee of safety. Users are responsible for ensuring that they have all current information necessary to safely use the product described by this data sheet for their specific purpose.